

CATALOGUE
for 1855,
OF A CHOICE COLLECTION OF
FLORICULTURAL, VEGETABLE AND
AGRICULTURAL
SEEDS,

COMPRISING SPLENDID ASSORTMENTS OF

GERMAN ASTERS, STOCKS, ZINNIAS, &c.,

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED
FAVOURITES, AND MANY NEW AND RARE SEEDS.

In giving orders for Flower Seeds it is sufficient, indeed preferable, to mention the numbers without the names; but as the numbers are changed every year, it is absolutely necessary to say from the Catalogue for 1855.

Page 2 and 3 Necessary explanations.

4 German Flower Seeds.

5 to 22 Miscellaneous Flower Seeds.

22 and 23 Sundry Shrub Seeds.

Page 24 Sundry Assortments.

25 Mixed Flower Seeds.

27 Flowering Bulls.

28 to 31 Kitchen Garden and Fruit Seeds.

Page 17 Additional Flower Seeds, many of which are quite new, and rare.

26 Selections of Hardy and Half-hardy Annuals, &c.

26 Reference to the newest Annuals, &c. &c.

27 Fruit Seeds; 32 Agricultural Seeds.

THE

LIST OF VEGETABLE SEEDS

WILL BE FOUND TO CONTAIN ALL THE LEADING
AND MOST APPROVED VARIETIES.

TO BE HAD OF

JAMES CARTER,
SEEDSMAN AND FLORIST,

238, HIGH HOLBORN, LONDON.

Catalogues will be forwarded gratis and prepaid on application.


** The German Seeds are from the usual sources.

A Catalogue of Dutch Bulls will be published in the Autumn.

Revised Edition, Feb. 1, 1855.

[Entered at Stationers' Hall.]

Presented to the L. H. Bailey Hortorium
by the Missouri Botanical Garden, 1972.



THE NECESSARY EXPLANATIONS

respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders, and Duration.

4th Column.—Hardiness

- h. hardy—plants for the open borders.
 hh. half-hardy—such as require a hot-bed.
 t. tender—pot plants, require shifting.
 f. frame—require protection till May.
 g. greenhouse—greenhouse plants.
 s. stove or hothouse—stove plants.

A. annual—last one year.

B. biennial—last two years.

P. herbaceous perennial—last three or more.

S. shrub, or under-shrub.

Pb. perennial bulb, corm, or tuber.

T. tree.

Application: hA. hardy annual; hB. hardy biennial; hP. hardy herbaceous perennial; hShardy shrub; hPb. hardy bulbous perennial; hT. hardy tree; hA. half-hardy annual; hhB. half-hardy biennial, &c. &c.; tA. tender annual, &c.; fA. frame annual, &c.; gA. greenhouse annual, &c.; sA. stove annual; sB. stove biennial; sP. stove perennial; sS. stove shrub; sPb. stove bulbous perennial.

5th Column.—Colour of the flower. The following are the principal abbreviations:

a. ash-grey.	cr. crimson.	o. orange.	sl. slate.
ap. apetalous.	d. dark.	ptd. painted.	spot. spotted.
az. azure.	div. diverse.	p. purple.	stra. straw.
b. blue.	flsh. flesh.	pch. peach.	stri. striped.
blk. black.	gn. green.	pk. pink.	sul. sulphur.
blh. bluish.	gy. grey.	r. red.	v. violet.
br. brown.	l. light.	ro. rose.	va. variegated.
bff. buff.	lem. lemon.	saf. saffron.	w. white.
car. carmine.	li. lilac.	s. scarlet.	y. yellow.
cin. cinnamon.	mul. mulberry.	sil. silver.	yh. yellowish.

Example: d. b. dark blue; b. w. & y. blue, white and yellow; l. r. light red; ro. li. rosy lilac, &c. &c.

6th Column.—Usual height of the plant in feet; trai. trailer.

7th Column.—Usual month of flowering: 1, January; 2, February; 3, March, &c.; 3-5, March to May, &c. &c.

8th Column.—Price per Packet. 6d. Packets may be had of those marked 3d., but no smaller packets can be made than those marked in the Catalogue.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in February till May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh frequently stand the winter without protection. The half-hardy Annuals may also be sown on a warm border early in May. The tender Annuals, as Balsams, &c., require a moderate hot-bed and re-potting to bring them to perfection.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early.

sp. species; var. varietas; pl. pluria, many; ex. from.—lf. leaf; fr. fruit.

The dots | ... | ... | ... | ... | indicate a repetition.

I. THE 24 LINNEAN CLASSES.

(See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

Classes.	a. Stamens (male organs) equal.		c. Stamens united in sets.	
	No. 1. Monandria	1 stamen	16. Monadelphia, 1 set	
	2. Diandria	2 stamens	17. Diadelphia, 2 sets	
	3. Triandria	3 "	18. Polyadelphia, many sets	
	4. Tetrandria	4 "	d. Compound Flowers (Asters, &c.).	
	5. Pentandria	5 "	19. Syngenesia	
	6. Hexandria	6 "	e. Stamens on the style.	
	7. Heptandria	7 "	20. Gynandria	
	8. Octandria	8 "	f. Male and female separated.	
	9. Enneandria	9 "	21. Monœcia, on one plant	
	10. Decandria	10 "	22. Dioœcia, on different plants	
	11. Dodecandria 12 to 19 S. in the cup		g. Male, female, and hermaphrodite Flowers on one or different plants.	
	12. Icosandria 20 or more S. on the base		23. Polygamia, many marriages	
	13. Polyandria, many Stamens		h. Flowers wanting, or incomplete.	
	b. Stamens unequal.		24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).	
	14. Didynamia, 2 long, 2 short			
	15. Tetradyndamia, 4 " 2 "			

II. THE LINNEAN ORDERS.

(See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, Pods, or Fronds.

a. Orders founded on the Styles, or female organs.

No. 25. Monogynia	1 style
26. Digynia	2 styles
27. Di-pentagynia	2 to 5 "
28. Trigynia	3 "
29. Tetragynia	4 "
30. Pentagynia	5 "
31. Hexagynia	6 "
32. Heptagynia	7 "
33. Decagynia	10 "
34. Dodecagynia	12 "
35. Polygynia	many "

b. On the Stamens (male organs).

36. Monan'dria	1 stamen
37. Diandria	2 stamens
38. Triandria	3 "
39. Tetrandria	4 "
40. Pentandria	5 "
41. Hexandria	6 "
42. Heptandria	7 "
43. Octandria	8 "
44. Enneandria	9 "
45. Decandria	10 "
46. Dodecandria	12 "
47. Icosandria	20 "
48. Polyandria	many "

c. On the sets of Stamens.

49. Monadelphina, 1 set

d. Styles and stamens united.

No. 50. Gynandria, male and female

e. Male and female separate.

51. Monœ'cia, on one plant
52. Dioœ'cia, on different plants

f. On the Polygamy.

53. { Polygamia æqualis, or
Equal Polygamy
54. { Polygamia superflua
Superfluous Polygamy
55. { Polygamia frustanea
Frustrated Polygamy
56. { Polygamia necessaria
Necessary Polygamy
57. { Polygamia segregata
Separated Polygamy

g. On the Seeds.

58. { Gymnosper'mia
Naked seeds
59. Angiosper'mia, in a capsule

h. On the Pods.

60. Siliculôsa, a small pod
61. Siliquôsa, a long pod.

i. On the Fronds, &c.

62. Filices, Ferns.

III. THE NATURAL ORDERS.

(See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

63. Acanthaceæ	87. Crassulaceæ	111. Linaceæ	135. Proteaceæ
64. Amaranthaceæ	88. Crucifereæ	112. Loasaceæ	136. Ranunculaceæ
65. Amaryllidaceæ	89. Cucurbitaceæ	113. Lobeliaceæ	137. Resedaceæ
66. Amentaceæ	90. Dilleniaceæ	114. Lythraceæ	138. Rosaceæ
67. Apocynaceæ	91. Dipsacæ	115. Malvaceæ	139. Rubiaceæ
68. Araliaceæ	92. Epacridaceæ	116. Marantaceæ	140. Rutaceæ
69. Asarinateæ	93. Ericaceæ	117. Melastomaceæ	141. Saxifragaceæ
70. Asclepiadaceæ	94. Euphorbiaceæ	118. Melastomaceæ	142. Scitamineæ
71. Balsaminaceæ	95. Ficoideæ	119. Myrtaceæ	143. Scrophulariaceæ
72. Begoniaceæ	96. Filices	120. Nyctaginæ	144. Sesameæ
73. Bignoniaceæ	97. Francoaceæ	121. Nymphaeaceæ	145. Silenaceæ
74. Boraginaceæ	98. Fumariaceæ	122. Oleaceæ	146. Solanaceæ
75. Bruniaceæ	99. Gentianaceæ	123. Oleaceæ	147. Stellateæ
76. Cactaceæ	100. Geraniaceæ	124. Onagraceæ	148. Tamaricaceæ
77. Camelliaceæ	101. Gesneriaceæ	125. Oxalidaceæ	149. Thymelaceæ
78. Campanulaceæ	102. Gramineæ	126. Papaveraceæ	150. Tiliaceæ
79. Capparidaceæ	103. Hydrophyllaceæ	127. Passifloraceæ	151. Tropæolaceæ
80. Caprifoliaceæ	104. Hypericaceæ	128. Pittosporaceæ	152. Tulipaceæ
81. Cistaceæ	105. Iridaceæ	129. Plumbaginaceæ	153. Umbellifereæ
82. Cobaceæ	106. Jasmينيةæ	130. Polemoniaceæ	154. Urticaceæ
83. Commelinaceæ	107. Labiataæ	131. Polygalaceæ	155. Valerianaceæ
84. Compôsiteæ	108. Leguminosæ	132. Polygonaceæ	156. Verbenaceæ
85. Conifereæ	109. Liliaceæ	133. Portulacaceæ	157. Violaceæ
86. Convolvulaceæ	110. Limnæthaceæ	134. Primulaceæ	158. Zygophyllaceæ
159. Butomaceæ	160. Musaceæ	161. Sapindaceæ	162. Smilacineæ.

The names of the Natural Orders ending in *aceæ* are chiefly derived from Generic Names, as *CAMPANULACEÆ* from *CAMPANULA*; such as end in *x* only are not, as *COMPOSITEÆ*, compound flowers; *CRUCIFEREÆ*, cross-shaped; *LABIATAÆ*, lip-flowered, &c.

The Natural Orders, for reference to which the numbers 63 to 161 afford great facility, will prove of essential service to the Amateur in forming, by comparison, an opinion of any plant in this Catalogue which is unknown to him; for instance, *Anagallis*, *Cyclamen*, *Dodecatheon*, *Primula sinensis*, and *Auricula* belong to the same Natural Order, *Primulaceæ*, No. 134; consequently should he not know *Dodecatheon*, the knowledge of one or more of the others would greatly assist him in forming an opinion of it. In making comparisons, the height of the plant should however be considered. The *Aster* and the *Daisy*, for example, belong to the same Natural Order 84, but at first sight there does not appear to be much resemblance between them, the difference in the magnitude of the flowers and height of the plants being so very great.

GERMAN FLOWER SEEDS

IN CHOICE ASSORTMENTS.

The Seeds are warranted of first-rate quality.

Explan. h. hardy; hh. half-hardy; t. tender; A. Annual; B. Biennial; P. Perennial; S. Shrub.

Those designated by a † flower the first year and are treated as Annuals.

No.							s. d.
1	12	extra fine varieties of	quilled	German Aster, separate,	hhA.	3 0
2	12	do.	do.	do.	do.	„ smaller packets	1 6
3	12	splendid	do.	new Globe	do.	do.	3 0
4	12	do.	do.	do.	do.	„ smaller packets	1 6
5	12	superb	do.	new Perfection	do.	do.	5 0
6	12	do.	do.	do.	do.	„ smaller packets	2 6
7	12	very fine	do.	Pyramidal	do.	do.	3 0
8	12	do.	do.	do.	do.	„ smaller packets	1 6
9	48	varieties comprising Nos. 1, 3, 5, 7	do.	do.	do.	„	13 0
10	48	do.	do.	2, 4, 6, 8	do.	do.	6 6
11	12	beautiful varieties	new	Bouquet	do.	do.	5 0
12	12	do.	do.	do.	do.	„ smaller packets	2 6
13	16	very choice	do.	new Dwarf	do.	do.	4 0
14	16	do.	do.	do.	do.	„ smaller packets	2 0
15	26	beautiful	do.	Dwarf	German Stock,	do.	7 0
16	26	do.	do.	do.	do.	„ smaller packets	3 6
17	16	selected	do.	do.	do.	do.	5 0
18	16	do.	do.	do.	do.	„ smaller packets	2 6
19	12	very fine	do.	Branching	do.	do.	3 0
20	12	do.	do.	do.	do.	„ smaller packets	1 6
21	12	fine	do.	Wallflower-leaved	do.	do.	3 0
22	12	do.	do.	do.	do.	„ smaller packets	1 6
23	50	varieties comprising Nos. 15, 19, 21	do.	do.	do.	„	12 0
24	50	do.	do.	16, 20, 22	do.	do.	6 0
25	6	superb new varieties	large-flowered	do.	do.	„ smaller packets	2 6
26	6	do.	do.	do.	do.	„ smaller packets	1 6
27	6	beautiful	do.	Miniature	do.	do.	2 6
28	6	do.	do.	do.	do.	„ smaller packets	1 3
29	12	very fine	do.	Autumnal	do.	do.	3 0
30	12	do.	do.	do.	do.	„ smaller packets	1 6
31	10	splendid	do.	Imperial	do.	hhP†	5 0
32	10	do.	do.	do.	do.	„ smaller packets	2 6
33	12	extra fine	do.	Winter	do.	hhB.	3 0
34	12	do.	do.	do.	do.	„ smaller packets	1 6
35	6	finest	do.	New Cape or Giant	do.	do.	2 6
ADDITIONAL SEEDS.							
36	12	extra fine varieties of the newest	Antirrhinum, separate,	hhB†		3 0
37	12	very fine	do. double	Balsam,	do.	tA. or Greenhouse...	2 6
38	12	newest	do. Camellia	do.	do.	„	2 6
39	10	finest	do. Rose-flowered	do.	do.	„	2 6
40	10	beautiful	do. Miniature	do.	do.	„	2 6
41	50	splendid	do. German	Picotee & Carnation,	hhP.	12 0
42	20	new	do. Perpetual	do.	separate,	4 6
43	20	fine	do. German	Hollyhock,	do.	hP.	3 6
44	20	finest prize	do. English	do.	do.	„	5 0
45	12	extra fine	do. Dwarf Rocket	Larkspur,	do.	hA.	2 6
46	12	very fine	do. Pyramidal	do.	do.	„	2 6
47	10	beautiful	do. Hyacinth	do.	do.	„	2 6
48	10	splendid	do. Branching	do.	do.	„	2 6
49	12	finest	do. German	Marigold,	do.	hhA.	2 6
50	12	beautiful	do. do.	Petunia,	do.	hhP†, or Greenhouse	3 6
51	12	extra fine	do. do.	Phlox Drummondii,	do.	hhA. or do.	3 6
52	12	finest new	do. Perennial	Phlox	do.	hhP.	3 6
53	12	superb	do. Paeony	Poppy,	do.	hA.	2 6
54	12	beautiful	do. newest	Salpiglossis,	do.	hhB†, or Greenhouse	3 0
55	12	splendid	do. large-flowered	Scabious,	do.	hA.	2 6
56	12	beautiful	do. new dwarf	do.	do.	„	2 6
57	12	superb	do. German	Wallflower,	do.	hS.	5 0
58	12	do.	do. do.	do.	do.	„	2 6
59	24	splendid	do. do.	Zinnia elegans,	do.	hhA.	7 0
60	12	do.	do. do.	do.	do.	„	3 6

CATALOGUE 1855.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 78, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceæ*, Bell-shaped Flowers. See page 7. For Shrubs see page 22 and 23.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Ageratum mexicanum*, for instance, is rendered Mexican *Ageratum*.—In giving orders it is preferable to mention the numbers and date of this Catalogue, 1855. N.B. The numbers being changed every year, it is absolutely necessary to say that they are from Catalogue 1855.

A — indicates a variety, see No. 84. () That the word is not literally translated, or is superadded.

THE ACCENTS.

à, é, î, ò, ù, ý, as in *Àca-cia*, *Gardè-nia*, *Lupì-nus*, *Cù-phea*, *Hý-acinlh*.

á, é, í, ó, and ý, as in *Itát-ica*, *él-egans*, *bic-olor*, *Nemph-ila* (u similarly placed is long, as in *lúcida*).

No.	Scientific Name.	Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
61	<i>Abrònia umbellàta</i>	5	25	120	hltA	ro. li.	feet	6-8	s. d. 6
62	<i>Achimenes</i> , pl. sp. et var.	14	59	101	sPb	div.	1	6-10	1 0
63	<i>Aeonitum lycoctonum</i>	13	28	136	hP	b.	2	7-8	3 0
64	<i>Adenòphora suavolens</i>	5	25	78	hP+	l. b.	3
65	<i>Æthionèma cristàta</i>	15	60	88	hhP+	ro.	2	6-8	3 3
66	<i>persica</i>	li.	3
67	<i>Ageratum mexicanum</i>	19	53	84	hA	b.	2	6-9	3 3
68	<i>odoratum</i>	3
69	<i>Agrostis elegans</i>	3	26	102	...	ap.	1	7-8	3 3
70	<i>Alonsòa incisifolia</i>	14	59	143	hhB+	s.	...	6-9	6
71	<i>Alpìnia nùtans</i>	1	25	142	sP	r. & y.	trai	5-7	1 0
72	<i>Alstroemèria híbrida novà</i>	6	...	65	hPb	div.	2	6-9	6
73	<i>pulchella</i>	s.	6
74	<i>Alyssum Benthàmi*</i>	15	60	88	hA	w.	1	6-8	6
75	<i>saxatile</i>	hP+	y.	...	5-7	3
76	<i>sp. perennans</i>	w. ?	3
77	<i>Wiersbeckii</i>	w. & y.	3
78	<i>Amaranthus tricolor</i>	21	25	64	tA	va. l.	...	7-8	3
79	<i>Amethysea cærulea</i>	2	...	107	hA	b.	1½	...	3
80	<i>Amphérepheis intermèdia</i>	19	53	84	...	p.	3
81	<i>Anacæylus grandiflorus</i>	54	...	y.	3
82	<i>Anagallis indica</i>	5	25	134	...	b.	½	6-8	3
83	<i>Monelli</i>	gP+	...	1	6-9	6
84	— <i>bicolor</i>	ro. & v.	6
85	— <i>grandiflora</i>	cop.	6
86	— <i>Phillipsii</i>	b.	6
87	— <i>Parksii</i>	s.	6
88	— <i>rosca</i>	ro.	6
89	<i>Anchusa arvàlis</i>	74	hP+	b.	1½	7-8	3
90	<i>œholœnce itàlica</i>	3
91	<i>Anemone coronària</i>	13	35	136	hPb	div.	½	5-7	6
92	<i>Pulsatilla</i>	v.	1	4-5	6
93	<i>Anoda Dilleniana</i>	16	48	115	hA	b.	2	7-8	3
94	<i>Anomathœca cruenta</i>	3	25	105	fPb	r.	1	7-9	6
95	<i>Antirrhinum majus</i>	14	59	143	hP+	div.	2	6-10	6
96	<i>majus albi-florum</i>	w.	3
97	— <i>bicolor</i>	2-col.	3
98	— <i>caryophylloides</i>	stri.	3
99	— <i>coccineum</i>	s.	3
100	— <i>èlegans</i>	var.	3
101	— <i>flavum</i>	y.	3
102	— <i>kermesinum</i>	cr.	3
103	— <i>nànum novum</i>	w. & r.	1	...	3
104	— <i>pictum</i>	c. & y.	2	...	3
105	— <i>purpureo-flavum</i>	p. & y.	3
106	— <i>quadricolor</i>	4-col.	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded (See page 5.)</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
107	Antirrhinum m. striatum	<i>Snapdragon, striped</i>	14	59	143	hP+	stri.	2	6-10	3
108	— variegatum	<i>— variegated</i>	var.	3
109	Aquilegia bicolor	<i>two-coloured</i>	13	30	136	...	p.	1½	5-7	3
110	canadensis	<i>Canadian</i>	r. & o.	3
111	formosa	<i>beautiful</i>	3
112	fragrans	<i>fragrant</i>	y. var.	6
113	glandulosa	<i>glandular</i>	b. & w.	3
114	sibirica	<i>Siberian</i>	b.	3
115	Skinneri	<i>Mr. Skinner's</i>	s. & g.	6
116	Arabis alpina	<i>alpine</i>	15	61	88	...	w.	¾	3-5	3
117	Aretotis breviscapa	<i>narrow-scaped</i>	19	56	84	hhA	o. & br.	1	7-8	6
118	Argemone grandiflora	<i>large-flowered</i>	13	25	126	hA	w.	2	...	3
119	mexicana	<i>Mexican</i>	y.	3
120	speciosa	<i>showy</i>	b.	1	5-7	6
121	Aristea cyanea	<i>sky-blue</i>	3	...	105	fp	6
122	spiralis	<i>spiral</i>	p. & b.	6
123	Artemisa mexicana	<i>Mexican</i>	14	59	143	gP+	b.	2	6-7	6
124	Asclepias curassavica	<i>Curassao</i>	5	26	70	sP	s.	2½	6-8	3
125	tuberosa	<i>tuberose</i>	hPb	o.	1½	7-8	6
126	Asphodelus albus	<i>white</i>	6	25	109	hP	w.	2	6-7	6
127	Aster tenellus	<i>slender</i>	19	54	84	hB+	b. & y.	¾	6-8	3
128	paniculatus	<i>panicled</i>	hP	li.	2	7-8	3
129	Bartonia aurea	<i>golden</i>	12	25	112	hA	y.	1	...	3
130	Bellis perennis, fl. pl.	<i>(double Daisy m.)</i>	19	54	84	hP+	div.	½	4-8	10
131	Bidens grandiflora	<i>large-flowered</i>	...	55	...	hA	y.	2	7-8	3
132	Blumenbachia insignis	<i>beautiful</i>	18	48	112	...	w.	1	...	3
133	Brachycome iberidifolia	<i>Iberis-leaved</i>	19	54	84	hhA	b.	1½	...	4
134	iberidifolia alba	<i>— white</i>	w.	4
135	— azurea	<i>— azure</i>	s. b.	4
136	— bicolor	<i>— two-coloured</i>	2-col.	4
137	— fimbriata	<i>— fringed</i>	var.	4
138	— lilacina	<i>— lilac</i>	li.	4
139	— variegata	<i>— variegated</i>	var.	4
140	diversifolia	<i>various-leaved</i>	w.	4
141	Browallia elata	<i>tall</i>	14	59	143	gA	b.	2	6-8	4
142	elata alba	<i>— white</i>	w.	4
143	demissa	<i>spreading</i>	b.	1	...	4
144	Bulbine aloides	<i>Aloe-like</i>	6	25	109	fp	y.	...	7-8	10
145	Caecilia coccinea	<i>scarlet</i>	19	53	84	hhA	y.	¾	...	3
146	coccinea aurca	<i>— yellow</i>	s.	3
147	Calampelis scabra**	<i>(Eccremocarpus)</i>	14	59	73	gP+	o.	6	6-9	4
148	nuniata**	<i>— carmine</i>	ver.	6
149	punica**	<i>— scarlet</i>	s.	6
150	Calandrinia discolor	<i>two-coloured</i>	11	25	133	hhP+	ro.	1½	7-8	4
151	grandiflora	<i>large-flowered</i>	p.	3
152	Lindleyana	<i>Dr. Lindley's</i>	hA	r.	1	...	3
153	speciosa	<i>showy</i>	p.	3
154	umbellata	<i>umbel-flowered</i>	hhP+	...	¾	...	6
155	Calceolaria hybrida	<i>hybrid, 100 var.</i>	2	...	143	gP	div.	2	6-9	10
156	hybrida punctata	<i>— (superb spotted)</i>	10
157	Kayii	<i>Kay's</i>	hhP	y.	1	...	6
158	pinnata	<i>pinnate (winged)</i>	hhA	...	1½	7-8	3
159	scabiosafolia	<i>Scabious-leaved</i>	hhP+	6-9	6
160	subcrecta	<i>suberect</i>	1	...	6
161	sp. ex Peru	<i>Peruvian species</i>	hhA	7-8	6
162	Calliandra platyglossa	<i>(broad-rayed)</i>	19	54	84	hA	3
163	Calliopsis Atkinsoniana	<i>Mr. Atkinson's</i>	...	55	...	hP+	y. & br.	4	7-9	3
164	bicolor (Corcopsis)	<i>two-coloured</i>	bA	...	1½	...	3
165	— marmorata	<i>— marbled</i>	mar.	4
166	— grandiflora	<i>— large-flowered</i>	y. & br.	3
167	— nana nova	<i>— new dwarf</i>	¾	...	4
168	— nigra speciosa	<i>— showy</i>	d. r.	1½	...	3
169	— semiplena	<i>— semi-double</i>	div.	4
170	coronata	<i>garland</i>	spot.	6
171	Drummondii	<i>Mr. Drummond's</i>	y. & br.	1	...	3
172	— major	<i>larger-(flowered)</i>	4
173	filiformis (Cosmidium)	<i>thread-leaved</i>	w.	1½	...	6
174	sp. ex Texas	<i>Texian species</i>	y.	6

A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
175	<i>Calyxhymenia chilensis</i>	3	25	120	hbA	r.	1½	7-9	6
176	<i>Campánula carpatíca</i>	5	...	78	hP†	l. b.	3	6-8	3
177	— <i>carpatíca alba</i>	w.	3
178	— <i>grandiflora</i>	b.	1	...	6
179	— <i>grandis</i>	l. b.	2	...	3
180	<i>Lórei*</i>	hA	b.	1	7-8	3
181	— <i>alba*</i>	w.	3
182	— <i>nóbilis</i>	hP†	l. p.	2	6-8	4
183	— <i>alba</i>	w.	4
184	— <i>pentagónia*</i>	hA	p.	3	7-8	3
185	— <i>alba*</i>	w.	3
186	— <i>pulcherrima</i>	hP†	b.	1½	6-8	4
187	— <i>pyramidalis</i>	gP	...	3	...	3
188	— <i>alba</i>	w.	3
189	— <i>Trachélium</i>	hP†	b.	2½	...	3
190	— <i>album plènum</i>	w.	4
191	— <i>Vidalli</i>	gP	b.	1½	...	4
192	— <i>Canna coccínea</i>	1	...	116	spB	s.	2	1-12	6
193	— <i>indica</i>	div.	3
194	— <i>lutea</i>	y.	6
195	— <i>Warscewicii</i>	s.	10
196	<i>Cardiospermum</i> , sp. Texas**	8	28	161	sA	w. & g.	5	7-9	6
197	— <i>Malicacabum**</i>	w.	3
198	— <i>Carthamus tinctorius</i>	19	53	84	hA	o.	6	7-8	3
199	— <i>Catananche lutea</i>	y.	1	...	3
200	— <i>cærulea</i>	hP†	b.	2	...	3
201	— <i>bicolor</i>	b. & w.	3
202	— <i>Celsia crética</i>	14	59	143	hB†	y. & p.	6	...	3
203	— <i>incarnata</i>	hbP†	flsh.	2	...	3
204	— <i>Cenia turbinata</i>	19	54	84	hA	w.	½	...	3
205	— <i>turbinata flava</i>	y.	3
206	— <i>Centaurea americana</i>	55	gA	r.	2½	8-10	6
207	— <i>cœolèpis</i>	hP†	div.	1½	7-8	3
208	— <i>Crocodylium</i>	hA	flsh.	2	...	3
209	— <i>depressa*</i>	b.	1	...	3
210	— <i>involverata</i>	y.	1½	...	3
211	— <i>speciosa</i>	hB	pur.	6
212	— <i>Centauridium Drummondii</i>	hbA	y.	2	...	6
213	— <i>Centranthus macrosiphon</i>	1	25	155	hA	r.	1	7-9	3
214	— <i>macrosiphon carneus</i>	flsh.	3
215	— <i>Chenostoma fastigiatum*</i>	14	59	143	hbA	ro.	3	7-8	4
216	— <i>polyanthum*</i>	li.	4
217	— <i>viscosum*</i>	pk.	4
218	— <i>Chelone barbata</i>	hP†	s.	2	7-9	3
219	— <i>Cineraria malvæfolia</i>	19	54	84	gP†	y.	6
220	— <i>malvæfolia alba</i>	w.	6
221	— <i>lobata</i>	y.	6
222	— <i>cruenta hybrida</i>	gS	div.	...	5-7	10
223	— <i>cærulea</i>	b.	10
224	— <i>alba</i>	b. & w.	10
225	— <i>rubra</i>	r.	10
226	— <i>alba</i>	r. & w.	10
227	— <i>Cirsium pulcherrimum</i>	53	hP	p.	4	7-8	6
228	— <i>Cistus laurifolius</i>	13	25	81	flP†	w.	3	6-8	6
229	— <i>Cladanthus arabicus</i>	19	54	84	hA	y.	1½	...	3
230	— <i>Clarkia elegans</i>	8	25	121	...	li.	...	6-10	3
231	— <i>elegans flore-plèno</i>	3
232	— <i>marmorata</i>	mar.	3
233	— <i>rosea</i>	ro.	3
234	— <i>flore-plèno</i>	3
235	— <i>violacea fl. pl.</i>	v.	3
236	— <i>pulchella</i>	ro.	1½	...	3
237	— <i>alba</i>	w.	3
238	— <i>frimbriata</i>	3
239	— <i>grandiflora</i>	r.	3
240	— <i>Clèone pentaphylla</i>	15	61	79	hbA	w.	2	7-8	4
241	— <i>rosea</i>	ro.	4
242	— <i>speciosissima</i>	p.	4

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet	s. d.	
243	Clintonia elegans	elegant	5	25	113	hhA	b.	1½	7-8
244	— pulchella	pretty	3 col.	1	...	6
245	— alba	— white	w.	6
246	— atrovioleacea	dark violet	d. v.	6
247	Cobaea scandens**	climbing	82	gS	p.	30	6-9
248	Collinsia bartschifolia	Bartsia-leaved	14	59	143	hA	...	¾	6-8
249	— bicolor	two-coloured	pk. & w.	1½	...	3
250	— atrorubens	— dark red	r. & w.	3
251	— heterophylla	— various-leaved	p. & w.	3
252	— grandiflora	large-flowered	p. & b.	1	...	3
253	— multicolor	many-coloured	div.	3
254	Collomia coccinea	scarlet	5	25	130	...	s.	...	7-8
255	Commelina caelestis	sky-blue	3	...	83	fPb	b.	1½	...
256	— caelestis alba	white	w.	3
257	— variegata	variegated	var.	6
258	Convallaria multiflora	many-flowered	6	...	162	hPb	w.	¾	5-8
259	Corydalis aurea	golden	17	41	98	hB+	y.	1	5-7
260	Cosmanthus fimbriatus	fringed	5	25	103	hA	b. & w.	¾	6-8
261	Cosmea bipinnata	two-winged	19	55	84	hhA	p.	2	8-10
262	— grandiflora	large-flowered	d. p.	6
263	Cremocéphalum ceruum	noddling	...	54	...	hA	p.	1	7-8
264	Crœcus vernus	vernal	3	25	105	hPb	div.	½	3-4
265	Crucianella stylösa	long-styled	4	...	147	hP+	pk.	1	6-8
266	Cüpheia Donkelaerii	Donkelaer's	11	...	114	fB+	cr. & bl.	1½	7-9
267	— platycentra	broad-centred	r. & y.	1¼	...	4
268	— miniata	carmine	ver.	4
269	— purpurea	purple and varieties	hA	div.	1½	...
270	— kermesina	— crimson	cr.	4
271	— silenoides	Silene-like	flsh.	4
272	— speciosa	showy	s.	4
273	— strigillosa	strigillose	fB+	s. & y.	...	4
274	Cyclamen europæum	European	5	...	134	hPb	r. & w.	½	6-9
275	Cynoglossum Haynii	Hayne's	74	hP	w.	1	7-10
276	Dahlia Cervantesii	Cervantes's	19	54	84	hhP+	s.	3	7-9
277	— astrantiiflora	Astrantia-flowered	hA	p.	1½	...
278	— alba	— white	w.	6
279	— variabilis, fl. pl.	(finest double)	hhPh	div.	3	7-10
280	— repens	creeping	hA	p.	1	7-9
281	Datura ceratocaula	horn-stalked	5	25	146	...	w. & ro.	3	7-8
282	— fastuosa	showy	p.	2	...	3
283	— alba	— white	w.	3
284	Delphinium amœnum	lovely (Larkspur)	13	28	136	hP+	l. b.	...	7-9
285	— cardiopetalum	heart-petaled	hA	b.	1	7-8
286	— cheilanthum	lip-flowered	hP+	d. b.	1½	7-9
287	— chinense	Chinese	s. b.	1¼	...	3
288	— albiblorum	— white-flowered	w.	3
289	— albo-marginatum	— white-margined	w. & b.	4
290	— flore-pleno	— double-flowered	div.	4
291	— pictum	— painted	var.	3
292	— striatum	— striped	stri.	4
293	— tricolor	— three-coloured	3 col.	3
294	— Donkelaerii	Donkelaer's	b.	2	...	4
295	— elatum	tall	3	...	3
296	— flore-pleno	— double	l. b.	4
297	— mesolencum	— white-centred	w. & b.	3
298	— grandiflorum	large-flowered	b.	1¼	...	3
299	— ochroleucum	yellowish-white	w.	2	...	3
300	— puniceum	crimson	cr.	4
301	— Salvatorii	Salvatori's	b.?	4
302	— splendens	splendid	l. b.	4
303	— Towardii	Toward's	b.	4
304	— triste	mournful	d. p.	3
305	— venustum	beautiful	b.?	4
306	— Wheeleri	Mr. Wheeler's	s. b.	4
307	Dianthus atrovaccinens	dark scarlet (Pink)	10	26	145	...	s.	1	6-9
308	— atrorubens	dark red	d. r.	4
309	— roseus	— rose-coloured	ro.	4
310	— violaceus	— violet	v.	4

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
No.										
311	Dianthus barbatus pl. var.	(Sweet William)	10	26	145	hP	div.	1½	6-9	3
312	barbatus coccineus	— scarlet	s.	3
313	— flore-pleno	— double-flowered	div.	3
314	— kermesinus superbus	— superb crimson	cr.	6
315	— striatus	— striped	stri.	6
316	Carthusianorum	Carthusians' (Pink)	r.	3
317	Caryophyllus	(Carnation)	div.	2	3
318	— flore-pleno	— double-flowered	1 0
319	— — bicolor	— (Flakes)	hhP†	2 6
320	— — variegatus	— (Bizarres)	2 6
321	— — concolor	— (selfs)	2 6
322	— — phantasia	— Faneys	2 6
323	— — flavo-striatus	— striped yellow	stri.	2 6
324	— — semperflorens	— Perpetuals, new	div.	...	5-10	...	2 6
325	— — bicolor	— (Flakes)	2 6
326	— — variegatus	— (Bizarres)	2 6
327	— — concolor	— (selfs)	2 6
328	— — kermesinus	— crimson	cr.	2 6
329	— — purpureus	— purple	p.	2 6
330	— — roseus	— rose-coloured	ro.	2 6
331	— — punctatus fl. pl.	(Pieotee) fine double	hP	div.	1 0
332	— — albus	— white (grounds)	hhP	2 6
333	— — flavus	— yellow do.	2 6
334	chinensis fl. pl.*	(Indian Pink 20 var.)	hB†	...	¾	6-9	...	4
335	— albo-plenus	— double white	w.	4
336	— hybridus	— hybrid	div.	4
337	— imperialis, fl. pl.	— Imperial, double	4
338	— nanus	— dwarf	cop.	¾	4
339	— striatiflorus	— striped-flowered	stri.	¾	6
340	deltoides, 2 var.	(Maiden or Mountain)	hP†	r. & w.	3
341	Garnierianus fl. pl.	Miss Garnier's	div.	1	1 0
342	giganteus	gigantic	r.	3	3
343	hispanicus pl. var.*	Spanish, mixed	div.	1	3
344	— splendens*	— splendid	s.	4
345	japonicus*	Japan	cr.	4
346	moschatius	(Garden Pink)	hP	w. & r.	3
347	— flore-pleno	— double	div.	1 0
348	plumarius	feathered	1½	3
349	pulchellus	pretty	hP†	...	1	3
350	superbus	superb	li.	1½	3
351	Didiscus cæruleus	blue (Trachymene)	5	...	153	hhA	b.	2	7-8	6
352	Digitalis aurea	golden (Foxglove)	14	59	143	hP	y.	1½	6-9	3
353	ferruginea	ferruginous	cop.	3
354	grandiflora	large-flowered	y.	3
355	purpurea	purple	p.	3	3
356	— alba	white	w.	3
357	— punctata	spotted	spot.	3
358	Winterli	Winterl's	br.	1½	3
359	Dodecatheon Meadia	(American Cowslip)	5	25	134	hhP	div.	1	6-8	6
360	Dracocéphaluus argumense	Argun	14	58	107	hP†	b.	1½	7-9	4
361	canariense	(Balm of Gilead)	hhP†	r. & p.	4
362	superbum	superb	b.	4
363	Dracopis amplexicaulis	stem-clasping	19	55	84	hA	y.	2	7-8	3
364	Erinus alpinus	alpine	14	59	143	hP†	li.	¾	4-6	3
365	Erysimum Peroffskianum	Peroffski's	15	61	88	hA	o.	1	6-9	3
366	Barbarea variegata	variegated (leaved)	hP†	y.	1½	...	3
367	Eschscholtzia californica	Californian	13	25	126	1½	...	3
368	compacta	compact	1	3
369	crocea	orange	o.	1½	3
370	— alba	(yellowish white)	yh.	3
371	— alba pura nova	new pure white	w.	1 0	...
372	tenuifolia	narrow-leaved	sul.	¾	...	1 0	...
373	Ethulia corymbosa	bunch-flowered	19	53	84	hhA	p.	1½	7-8	3
374	Eucharidium concinnum*	neat	8	25	124	hA	...	1	6-8	3
375	grandiflorum*	large-flowered	3
376	Euclide bartonioides	Bartonia-like	12	...	112	A	y.	6
377	Eupatorium Fraseri	Mr. Fraser's	19	53	84	hP	w.	...	7-8	6
378	Euphorbia variegata	variegated	11	28	94	hhA	va. lf.	6

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)			L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.										s. d.
379	Eutoca multiflora	many-flowered	5	25	103	hA	lav.	1	7-8	3
380	viscida	viscid	b.	3
381	Wrangeliana	Dr. Wrangel's	li.	3
382	Francia ramosa	branching	8	29	97	gP	w.	1½	7-9	6
383	sonchifolia	Cacalia-leaved	ro. p.	6
384	Gaillardia bicolor	two-coloured	19	55	84	hP+	y. & br.	4
385	picta	painted	hhP+	y. & s.	4
386	— coccinea	— scarlet	s.	4
387	— Josephus	— Josephus	o.	4
388	— nana	— dwarf	s.	1	...	4
389	— splendidissima	— most splendid	s. & y.	1½	...	6
390	Wellsiana	Wells's	y. & r.	4
391	Gambel's Tagetes	Marigold-like	...	54	...	hhA	y.	2	7-8	4
392	Gaura Lindheimeria	Lindheimer's	8	25	124	...	w. & r.	2	...	4
393	Gentiana acanlis	stemless	5	26	99	hP+	b.	1½	4-7	3
394	asclepiadea	Asclepias-like	1	6-7	3
395	hybrida	hybrid	y. & p.	2½	...	3
396	macrophylla	long-leaved	b.	1	...	3
397	Geranium Endresii	Mr. Endres's ?	16	46	100	...	ro.	...	6-9	3
398	ibericum	Iberian	b.	...	6-7	6
399	Gesneria pl. sp.	splendid (mixed)	14	59	101	sPh	div.	1½	6-9	1 0
400	Gem coccineum	scarlet	12	35	138	hP+	s.	3
401	coccineum fl. pl.	— double	4
402	— superbum	— superb	o. s.	4
403	Gilia achilleaefolia	Milfoil-leaved.	5	25	130	hA	b.	1	...	4
404	capitata	bunch-flowered 2 var	b. & w.	1½	6-8	3
405	nivalis*	snow-white	w.	¾	...	3
406	tricolor*	three-coloured	3 col.	3
407	— albo-ærulea*	white and blue	w. & b.	3
408	— rosea*	rose-coloured	ro.	3
409	Gladiolus hybridus	hybrid (splendid)	3	...	105	fPb	div.	2	7-10	3
410	Gloxinia pl. sp. et var.	(splendid mixed)	14	59	101	sPh	...	1	6-9	1 0
411	Godetia bifrons	two-fronted	8	25	124	hA	p. & c.	1½	7-9	1 0
412	insignis	beautiful	spot.	3
413	Lindleyana	Dr. Lindley's	w. & r.	3
414	purpurea	purple	p.	3
415	Romanzovii	Romanzow's	l. p.	3
416	quadriculca	four-spotted	spot.	3
417	rosco-alba	rose and white	ro. & w.	3
418	rubicunda	blushing	cr.	3
419	tenella	slender	p.	3
420	vinosa	wine-coloured	cr. p.	3
421	Willdenovii	Willdenow's	p.	3
422	Grammanthes gentianoides	Gentian-like	5	30	87	hhA	s.	½	6-8	6
423	gentianoides eroca	orange	o.	6
424	Gynhopsis uniseriatis	single-serial	19	56	84	sS	y.	2	8-10	6
425	Gypsophila elegans	elegant	10	26	145	hA	w.	1	7-8	3
426	Helianthemum apenninum	Apennine	13	25	81	hP+	...	½	5-7	3
427	guttatum	spotted	hA	y.	...	7-8	3
428	Helianthus argophyllus	silvery-leaved	19	55	84	hhA	y. & br.	2½	7-9	1 0
429	Helichrysum brachyrrhynchum	narrow-keeled	...	54	w.	2	...	6
430	bracteatum	bracteated	y.	3
431	— album	white	w.	3
432	— albo-flavum	white and yellow	w. & y.	4
433	— flore-pleno	double-flowered	div.	4
434	— purpureum	purple	p.	4
435	capitatum	(bunch-flowered)	var. ?	6
436	macranthum aureum	golden	y.	3
437	— albo-roseum	white and rose	w. & ro.	4
438	— rubro-album	red and white	r. & w.	4
439	monstruosum pl. var.	monstrous (mixed)	div.	6
440	— album	white	w.	4
441	— sulphureum	sulphur	sul.	4
442	— violaceum	violet	v.	4
443	robustum pl. var.	robust (mixed)	div.	4
444	— fulvum	tawny	buff.	4
445	— morifolor	mulberry-coloured	br. p.	3
446	Heliphila arabicoides*	Arabis-like	16	61	88	...	b.	1	7-8	4

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

<i>A — indicates a variety. () That the word is not literally translated, or is supersadded. (See page 5.)</i>					L. C.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.										feet		<i>s. d.</i>
447	<i>Heliophila pilosa</i>	hairg.	15	61	88	hhA	b.	1	7-8			4
448	trifida	trifid	hP	p.	1½	...			4
449	<i>Helleborus foetidus</i>	(Bear's-foot)	13	35	136	hP	w. & g.	1½	2-5			3
450	<i>Hibiscus africanus</i>	African	16	48	115	hA	y. & br.	2	7-8			3
451	calisarcus	(beautiful)	y. & d.			3
452	<i>Humboldtii</i>	Von Humboldt's			3
453	esculentus	esculent	sA	y.	4	6-7			6
454	militaris	(armed)	gP+	p.	2	8-9			6
455	palustris	marsh	hP+	pk.	3	7-8			4
456	— albus	white	w.			4
457	<i>Humeca elegans</i>	elegant	19	53	84	hhB+	r.	5	6-9			6
458	<i>Hyacinthus orientalis</i>	oriental	6	25	109	hPb	div.	1	5-7			6
459	<i>Hymenoxis californica</i>	Californian	19	54	84	hhA	y.	...	7-8			4
460	<i>Hypericum elegans</i>	elegant	18	48	104	hP+	...	1½	...			4
461	<i>Iberis Tenoreana</i>	Tenore's	15	60	88	...	p	1	6-8			4
462	<i>Ipomœa bona-nox**</i>	Good-Night!	5	25	86	sA	w.	12	6-9			4
463	chrysoides**	golden	sP+	y.	6	...		1	0
464	coccinea**	scarlet	gA	s.			3
465	<i>Ferrandiana**</i>	Ferrand's	hhA	b.	10	...			6
466	fleifolia**	fig-leaved	sPb+	p.	6	...		1	0
467	grandiflora**	large-flowered	sS+	w.	10	...			1
468	Hardingii**	Lord Hardinge's	li. & c.		1	0
469	limbata**	bordered	sA	s. & o.		1	0
470	luteola**	yellow	gA	y.	6	...			3
471	Nil**	Nil	hhA	b.	10	...			3
472	polyanthes**	many-flowered	sS+	y.	12	...		1	0
473	purpurea**	purple	hhA	p.	10	...			3
474	— Burridgeii**	Mr. Burridge's	cr.			3
475	— Dicksonii**	Mr. Dickson's	b.			3
476	Quamoelit**	Quamoelit	gA	s.	6	...			4
477	— alba**	— white	w.			4
478	rubro-cœrulea**	(sky-blue)	gorsA	s. b.	10	...		1	0
479	— albiflora**	— white	w.			1
480	Schlechtendalii**	Schlechtendal's	p. & w.			1
481	Sellowii**	Mr. Sellow's	s.			1
482	tyrianthina**	tyrianthine	sPb	d. p.			1
483	sp. ex Texas**	Texian species	sS	p.			6
484	3 sp. ex India**	3 Indian species	div.		1	0
485	<i>Ipomopsis Beyrichii</i>	Beyrich's	130	fP+	l. s.	2	7-9			4
486	elegans	elegant	s.	1½	...			4
487	picta	painted	spot.	2	...			4
488	— aurantiaca	— orange	o.			4
489	superba	superb	s.			4
490	<i>Iris xiphoides</i>	(English Iris)	3	...	105	hPb	div.	...	6-7			6
491	<i>Isotoma axillaris</i>	axillary	5	...	113	gP+	b.	1½	6-8			4
492	petrea	rock	w.			4
493	<i>Ixia maculata</i>	spotted	3	...	105	fPb	div.	1	5-7			6
494	<i>Jacquemontia violacea**</i>	violet	5	...	86	sPb	v.	8	6-9		1	0
495	<i>Kaulfussia anelloides*</i>	Anellus-like	19	54	84	hA	b.	½	7-8			3
496	<i>Lasthœnia californica</i>	Californian	y.	1	...			3
497	glabrata	smooth			3
498	<i>Láthyris latifolius**</i>	(Everlasting Pea)	17	45	108	hP+	ro.	6	7-9			3
499	latifolius albus**	— white	w.			3
500	— purpureus novus**	— new purple	p.			6
501	rotundifolius	round-leaved	2	...			4
502	<i>Lavatera arborea</i>	tree	16	48	115	hB+	...	6	6-8			4
503	<i>Leptósiphon aureus</i>	golden	5	25	130	hA	l. y.	¾	7-8		1	0
504	androsæus	Androsæe-like	div.	1¼	...			3
505	— lilacinus	lilac.	li.			3
506	— albus	white	w.			3
507	densiflorus*	thick-flowered	p.	1	...			3
508	luteus*	yellow	y.			6
509	<i>Leucopsidium arkansanum</i>	Arkansas	19	54	84	hhA	w.	1½	7-9			6
510	<i>Ligularia speciosa</i>	showy	hP	y.	2	...			4
511	<i>Lilium speciosum</i> , 6 var.	splendid	6	25	109	hPb	div.	3	...		1	0
512	canadense	Canadian	o.	1½	6-9			6
513	Martagon	Martagon	div.	2	...			6
514	sp. ex Texas	Texian species	p. & w.		1	0

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		Li	O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
515	Limnanthes Douglàsii	Mr. Douglas's	10	25	110	hA	w. & y.	7-8	3
516	Douglàsii alba	white	w.	4
517	— rosea	rose	ro.	4
518	grandiflora	large-flowered	w. & y.	3
519	Limnócharis Humboldtii	Von Humboldt's	13	35	159	sB	y.	1½	10
520	Plumieri	Plumier's	6-10	10
521	Linaria macroua	Maeroura	14	59	143	hA	...	1	3
522	triornithóphora	three-birds-bearing	fP+	p.	6-9	6
523	— carnea	flesh-coloured	flsh.	...	6
524	Lindheiméria texana	Texian	19	54	84	hA	y.	2	6
525	Lindclhófia spectábilis	showy	8-10	6
526	Linum flavum	yellow	5	30	111	fP+	y.	2	10
527	grandiflorum	large-flowered	hA	b.	1	3
528	— album	white	w.	3
529	— verum coccineum	true scarlet	hP+	s.	2	10
530	perenn	perennial	b.	1½	3
531	venosum	veiny	ro.	...	6
532	Lisianthus Russellianus	(Duke of Bedford's)	...	25	99	gA	p.	3	6
533	Loasa aurantiaca**	orange	18	48	112	hhP+	o.	6	4
534	Herbertii**	Hon. Mr. Herbert's	s.	...	4
535	Pentlandica**	Mr. Pentland's	4
536	Lobelia azurea	azure	5	25	113	...	b.	½	6
537	cardinalis	cardinal	fP	s.	3	6
538	Chamæpitys	(new dwarf)	6
539	Erinus	Erinus	hhP+	b.	½	3
540	— alba	white	w.	3
541	— compacta	compact	b.	½	6
542	— grandiflora	large-flowered	4
543	— marginata	bordered	w. & b.	6
544	— rosea	rose-coloured	r.	...	3
545	formosa	beautiful	b.	½	4
546	gracilis	slender	hA	...	½	3
547	— alba	white	w.	3
548	heterophylla	various-leaved	hhP+	b.	1½	4
549	pinifolia	pine-leaved	gP+	v.	3	6
550	propinqua	related	hhA	p.	1	4
551	ramosa	branching	hhP+	d. b.	1½	4
552	— alba	white	w.	4
553	— rubra	red	r.	...	4
554	siphilitica	siphilitic	gP	b.	2	6
555	Lotus jacobæus	St. James's Island	17	45	108	gA	blk.	1	4
556	jacobæus flavus	yellow	y.	4
557	Lupinus affinis	related (Lupine)	16	hA	b. & w.	7-9	3
558	Hartwegii	M. Hartweg's	b. & pk.	1½	3
559	— roseus	rose-coloured	ro.	...	6
560	hirsutissimus	most-hairy	r.	...	3
561	leptophyllus	slender-leaved	b. & cr.	2	3
562	magnificus	magnificent	w. & p.	...	6
563	mexicanus	Mexican	b.	1½	3
564	Moritzianus	Moritz's	3
565	mutabilis	changeable	var.	3	3
566	— Cruickshanksii	Mr. Cruickshanks's	3
567	nanus	dwarf	va. b.	1	3
568	pubescens	downy	b.	...	3
569	subramosus	sub-branching	li. & p.	...	6
570	venustus	beautiful	b. & w.	...	6
571	sp. ex California	Californian species	var.	...	6
572	sp. ex Texas	Texian species	y.	...	6
573	arbores	tree	hP+	div.	6	3
574	elegans	elegant	v. & r.	2	3
575	grandifolius	large-leaved	p.	2½	3
576	guatemalensis	Guatemala	d. v.	2	3
577	hybridus, pl. var.	hybrid, mixed	div.	1½	3
578	polyphyllus	many-leaved	b.	3	3
579	— albo-purpureus	white and purple	w. & p.	...	3
580	— albiflorus	white-flowered	w.	...	3
581	Lycnis flos-Jovis	Jove's-flower	10	30	145	...	cr.	1½	3
582	fulgens	glowing	s.	1	6

A— indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)			L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price.
No.										s. d.
583	<i>Lychnis chalcedónica</i>	scarlet	10	30	145	hP	s.	2	7-8	3
584	<i>chalcedónica alba</i>	white	w.	3
585	— <i>mutabilis</i>	variable	var.	3
586	<i>Lýthrum Salicária superbum</i>	superb	11	25	114	hP+	ro.	1½	...	6
587	<i>Madária elegans</i>	elegant	19	56	84	hhA	y.	2½	...	3
588	<i>corymbosa</i>	bunch-flowered	l. y.	2	3
589	<i>Málope trifida</i>	trifid	16	48	115	hA	r.	1½	...	3
590	<i>grandiflora</i>	large-flowered	cr.	2	3
591	— <i>alba</i>	white	w.	3
592	<i>Malva miniata</i>	vermilion	hS	ver.	3	...	3
593	<i>mauritiana zebrina</i>	striped	hA	stri.	2	...	3
594	<i>moschata</i>	musk-(scented)	hP+	flsh.	3
595	<i>Martýnia angularis</i>	angular	14	59	144	hhA	l. p.	...	7-9	4
596	<i>craniolaria</i>	skull-like	w.	4
597	<i>fragrans</i>	fragrant	d. p.	4
598	<i>lutea</i>	yellow	y.	4
599	<i>proboscidea</i>	proboscis-like	l. b.	4
600	<i>Matricária eximia</i>	choice	19	54	84	hP+	w.	1½	...	4
601	<i>Parthénium, fl. pl.</i>	(fine double)	4
602	<i>Melampodium macranthum</i>	large-flowered	...	56	...	hhA	y.	2	...	6
603	<i>Mesembryanthemum glabrum</i>	smooth	12	27	95	¾	7-8	4
604	<i>capitatum</i>	head-(flowering)	l. y.	4
605	<i>pomeridianum</i>	afternoon	y.	4
606	<i>tricolor</i>	three-coloured	r.	¾	4
607	— <i>album</i>	white	w.	4
608	<i>Mimulus cardinalis</i>	Cardinal	14	59	143	hhP+	s.	2	6-9	3
609	<i>cardinalis croceus</i>	orange	o.	4
610	— <i>maculatus</i>	spotted	spot.	4
611	<i>roseus</i>	rose-coloured	ro.	4
612	<i>moschatus</i>	musk-(scented)	y.	¾	4
613	<i>pl. sp. et var.</i>	(splendid mixed)	div.	3
614	<i>Morina elegans</i>	elegant	2	25	91	glP+	ro.	3	6-8	6
615	<i>Morina elegans</i>	elegant	19	53	84	hhA	y.	1½	7-8	6
616	<i>Myosotis palustris</i>	(Forget-me-not)	5	25	74	hP+	b. & y.	¾	5-10	4
617	<i>palustris major</i>	(new large blue)	b.	4
618	<i>alpestris</i>	alpine	½	4
619	— <i>alba</i>	white	w.	4
620	<i>azórica</i>	Azorean	d. b.	4
621	<i>Nelumbium luteum</i>	yellow	13	35	121	sP	y.	traí	6-9	6
622	<i>speciosum, &c.</i>	showy, &c.	div.	3	...	2 6	
623	<i>Nemésia floribunda*</i>	bunch-flowered	14	59	143	hhA	w. & y.	1	7-8	3
624	<i>versicolor*</i>	various-coloured	va.	traí	3
625	<i>Nemóphila atomária*</i>	(spotted white)	5	25	103	hA	w.	3	...	3
626	<i>atomária celestis*</i>	— sky-blue	s. b.	3
627	<i>discoidalis*</i>	(black-bordered)	bor.	3
628	<i>insignis*</i>	beautiful	b.	3
629	— <i>alba*</i>	— white	w.	3
630	— <i>grandiflora*</i>	— large-flowered	b.	3
631	— <i>striata*</i>	— striped	stri.	3
632	<i>maculata</i>	large-spotted	w. & p.	3
633	<i>phacelioides</i>	Phacelia-like	hP+	v.	1	...	3
634	<i>Nierembergia gracilis</i>	slender	...	146	...	flP+	w. & li.	¾	6-9	1 0
635	<i>Nigella hispánica</i>	Spanish	13	30	136	hA	b.	1	7-8	3
636	<i>Nolana paradoxa</i>	paradoxical	5	25	146	...	va.	3
637	<i>atriplexifolia</i>	Atriplex-leaved	b. w. y.	3
638	— <i>alba grandiflora</i>	large-flowered white	w.	3
639	<i>prostrata</i>	prostrate	b.	3
640	<i>Nónca rósea</i>	rose-coloured	...	74	...	ro.	1½	3
641	<i>Nycterinia capensis</i>	Cape	14	59	143	fS	w.	¾	7-10	3
642	<i>selaginoides</i>	Selago-like	pk.	4
643	<i>villósa</i>	villous	w.	4
644	<i>Nymphaea alba</i>	white	13	25	121	hP	...	traí	6-9	6
645	<i>caerulea</i>	blue	sP	b.	1 0
646	<i>cyanea</i>	sky-blue	s. b.	1 0
647	<i>dentata vera</i>	dentated	p.	1 0
648	<i>esculenta</i>	esculent	w.	1 0
649	<i>gigantea (nova)</i>	gigantic (new)	p.	5 0
650	<i>gracilis</i>	slender	w.	1 0

<i>A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)</i>			Li.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			Li.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
651	Nymphaea Lotus	<i>Lotus</i>	13	25	121	sP	w.	feet	6-9	1 0
652	Ortiesiana	<i>Ortiesian</i>	gP	p.	1 0
653	rubra	<i>red</i>	sP	r.	1 0
654	stellata	<i>starry</i>	b.	1 0
655	thermalis	<i>thermal</i>	w.	1 0
656	Oenothera acaulis	<i>stemless</i>	8	...	124	hP+	7-8	3
657	concinna	<i>neat</i>	hA	l. ro.	1	...	3
658	densiflora	<i>thick-flowered</i>	p.	3
659	Drummondii	<i>Mr. Drummond's</i>	fP+	y.	3
660	macrocarpa	<i>large-fruited</i>	6
661	odorata	<i>sweet-scented</i>	hP+	...	1½	...	3
662	prostrata	<i>prostrate</i>	hA	w.?	trai	...	6
663	rhizocarpa	<i>root-fruited</i>	hP+	y.	1	...	3
664	roscia	<i>rose-coloured</i>	ro.	1½	...	3
665	Selloviana	<i>Mr. Sellow's</i>	y.	3
666	splendens	<i>splendid</i>	2	...	6
667	taraxacifolia	<i>Taraxacum-leaved</i>	w.	½	...	3
668	tetraptera	<i>four-winged</i>	hA	...	1	...	3
669	sp. ex Texas	<i>Texian species</i>	y.	1½	...	6
670	Oxalis carnosa	<i>fleshy</i>	10	30	125	hhPb	...	1	...	6
671	roscia	<i>rose-coloured</i>	ro.	6
672	rubella	<i>light red</i>	r.	6
673	Oxyria chrysanthemoides	<i>Chrysanthemum-like</i>	19	54	84	hA	y. & w.	3
674	Paeonia Moutan	<i>(Chinese)</i>	13	26	136	hhS	p.	3	5-8	1 0
675	Moutan arborea	<i>— tree</i>	l. r.	1 0
676	— Banksia	<i>— Banks's</i>	p.	1 0
677	— papaveracea	<i>— Poppy</i>	w.	1 0
678	— roscia	<i>— rose-coloured</i>	ro.	1 0
679	Palafoxia texana	<i>Texian</i>	19	53	84	hhA	br. r.	2	7-8	6
680	Papaver erceum	<i>saffron (Poppy)</i>	13	25	126	hP+	o.	1½	7-9	3
681	monstrum	<i>monstrous</i>	hA	w.	2	...	3
682	nudicaule	<i>naked-stalked</i>	hP+	y.	3
683	orientale	<i>Oriental</i>	r.	3
684	pulcherrimum	<i>most beautiful</i>	s.	3	...	3
685	Pelargonium hybridum	<i>hybrid (Geranium)</i>	16	42	100	gS	div.	...	6-9	1 0
686	hybridum novum	<i>new hybrid</i>	1 0
687	zonale	<i>(scarlet)</i>	s.	6
688	— albiflorum	<i>— white var.</i>	w.	6
689	— globosum	<i>— globular</i>	s.	6
690	— nanum	<i>— (Tom Thumb)</i>	1	...	6
691	— roseum	<i>— (Lucy)</i>	ro.	1½	...	6
692	— salmoneum	<i>— salmon (new)</i>	sal.	1 0
693	capitatum	<i>head (flowering)</i>	p.	3	...	1 0
694	Pentstemon campanulatum	<i>bell-(flowered)</i>	14	59	143	hP+	b.	2	...	3
695	cordifolium	<i>heart-leaved</i>	r.	1 0
696	digitalis	<i>Digitalis-(like)</i>	w.	3
697	elegans (Chelone)	<i>elegant</i>	ro.	3
698	Hartwegii	<i>M. Hartweg's</i>	3
699	— album	<i>— white</i>	w.	6
700	— coecineum	<i>— scarlet</i>	s.	3
701	Mackayianum	<i>Mr. Mackay's</i>	va.	3
702	Murrayanum	<i>Mr. Murray's</i>	s.	2½	...	1 0
703	nitidum	<i>shining</i>	?	2	...	3
704	ovatum	<i>ovate</i>	b.	3
705	pulchellum	<i>pretty</i>	iv.	3
706	roscum	<i>rose-coloured</i>	ro.	3
707	Verplankei	<i>Verplanke's</i>	s.	6
708	sp. ex California	<i>Californian species</i>	div.	1½	...	6
709	Perilla nankiensis	<i>Nankin</i>	...	58	107	A	p. lf.	...	7-8	6
710	Petunia nyctaginiflora	<i>(sweet-scented)</i>	5	25	146	hhP+	w.	2	6-9	3
711	phoenicea	<i>purple</i>	p.	3
712	— flore-pleno	<i>— double-flowered</i>	r.	6
713	— grandiflora	<i>— large-flowered</i>	p.	4
714	— alba	<i>— white</i>	w.	4
715	— roscia	<i>— rose-coloured</i>	ro.	4
716	— striata	<i>— striped</i>	stri.	4
717	— viridicincta	<i>— green-bordered</i>	div.	1 0
718	Phacelia conspicua	<i>conspicuous</i>	103	hA	b.	...	7-8	3

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	O.	N.	H. & Dur.	Col. of Fl.	feet		s. d.
719	Phlox Drummondii	Mr. Drummond's	5	25	130	hhA	div.	1½	7-10	6
720	Drummondii alba	white	w.	6
721	— atropocœnea	dark scarlet	d. s.	6
722	— atropurpurea	dark purple	d. p.	6
723	— Leopoldiana	(King of the Belgians)	er. & w.	6
724	— oculata alba	white-eyed	p. & w.	6
725	— — purpurea	purple-eyed	w. & p.	6
726	— rosea	rose-coloured	ro.	6
727	30 sp. et var. perennans	perennial	hP+	div.	2½	1	0
728	Platystemon californicus	Californian	13	...	126	hA	y.	1	6-9	6
729	Podolepis elysantha	golden yellow	19	54	84	hhA	7-8	3
730	gracilis	slender	pk.	3
731	— alba	white	w.	3
732	Podotheca capitata	head-(flowering)	...	53	y.	6
733	Portulaca aurea	golden yellow	11	25	133	...	l. y.	½	6-9	4
734	Gilliesii	Mr. Gillies's	ro. p.	4
735	grandiflora	large-flowered	va.	4
736	Thellusonii	Mr. Thelluson's	er.	4
737	— cœcinea	scarlet	s.	4
738	— rosea	rose-coloured	ro.	4
739	— striatiflora	striped	w. & r.	4
740	— Thorburnii	Mr. Thorburn's	y.	4
741	splendens	splendid	ro. p.	4
742	Potentilla formosa	beautiful	12	35	138	hP+	p.	1	...	3
743	atrosanguinea	dark red	d. r.	3
744	crœca	orange	o.	3
745	Garnieriæna	Miss Garnier's	y. & r.	6
746	Hopwoodiana	Mr. Hopwood's	ro.	6
747	insignis	striking	y.	6
748	marginata	bordered	bor.	6
749	Oliveriana	Mr. Oliver's	s.	6
750	puleherrima	most beautiful	y.	3
751	sulphurea	sulphur	sul.	3
752	Thomasii	Mr. Thomas's	y.	3
753	Prinula cortusoides	Cortusa-like	5	25	134	...	p.	½	6-8	6
754	denticulata	denticulated	gP+	li.	¼	...	6
755	nepaulensis	Nepalese	li.	½	...	1
756	sincensis	Chinese (Primrose)	ri.	1	10-7	6
757	— alba	— white	w.	6
758	— fimbriata	— fringed	ro.	...	1	0
759	— — alba	— white	y.	...	1	0
760	— — grandiflora	— large-flowered	r.	...	1	0
761	— marginata	— (white-bordered)	l. & w.	...	2	6
762	— striatiflora	— striped-flowered	stri.	...	2	6
763	— variegata	— variegated	va.	...	1	0
764	Ramonda pyrenæica	Pyrenean	146	hP+	p.	¼	6-8	6
765	Ranunculus asiaticus	Asiatic	13	35	136	hPb	div.	1	6-7	6
766	Reseda myriophylla	myriad-leaved	11	28	137	hP+	w. & y.	2	6-9	6
767	odorata arborea	tree-like	puff.	4	7-9	6
768	Rhodanthe Manglesi	Capt. Mangles's	19	53	84	hhA	ro.	1	7-8	6
769	Rudbeckia fulgida	glowing	...	55	...	hP+	y.	3	...	6
770	Sabbatia campestris (stellata)	(starry)	5	25	99	gA	ro. & y.	1½	7-9	1
771	Salpiglossis sinuata	sinuated	14	59	146	hP+	div.	1½	...	6
772	sinuata azurea	blue-flowered	b.	4
773	— atropurpurea	dark purple	d. p.	4
774	— cœcinea	scarlet	s.	6
775	— sulphurea	sulphur	sul.	4
776	Salvia bicolor	two-coloured	2	25	107	hP+	b. & w.	2	...	3
777	bracteata	bracteated	pnr.?	3	...	3
778	campestris	field	b.	2	...	3
779	— albiflora	white-flowered	w.	3
780	cœcinea	scarlet	hhA	s.	6
781	Forskœhlii	Forskœhl's	hP+	blk.	1½	...	6
782	glutinosa	glutinous	y.	2	...	6
783	patens	(splendid blue)	d. b.	3	...	6
784	— alba	white	w.	6
785	splendens	splendid	s.	6
786	Sanvitalia procumbens	procumbent	19	54	84	hhA	y.	tra	7-8	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)</i>			Li.	O.	N.	H.	Col.	Hght.	M. of	Price.
No.							of Fl.	feet	Flw.	s. d.
787	Saponaria calabrica*	Calabrian	10	26	145	hA	r.	6-9	6	6
788	ocymoides	Oeyma-like	hP†	ro.	5-8	6	6
789	Saxifraga, pl. sp.	(finest mixed)	141	...	div.	5-7	6	6
790	Schizanthus Grahani	Mr. Graham's	2	25	143	hhA	s. & o.	7-8	4	4
791	retusus	(blunt-leaved)	r. & o.	...	4	4
792	— albus	white	w. & y.	...	4	4
793	gracilis	slender	hA	v.	1 1/4	3	3
794	humilis*	dwarf	li. & cr.	3	3
795	pinnatus	pinnated	va.	1 1/4	3	3
796	— Priestii	Priest's	w.	...	3	3
797	— pulchellus	pretty	va.	...	3	3
798	— venustus	beautiful	p.	...	3	3
799	porrigens	spreading	va.	...	3	3
800	Schizopetalon Walkeri	Mr. Walker's	15	61	88	...	w.	...	6	6
801	Scutellaria, pl. sp.	mixed	14	58	107	hP†	div.	6-9	6	6
802	Scyphanthus elegans**	elegant	18	48	112	hhA	y.	7-9	6	6
803	Sedum caeruleum	blue	10	30	87	hA	b.	7-8	3	3
804	Silene compacta	compact	...	28	145	hB†	pk.	7-9	3	3
805	fimbriata	fringed	hP†	w.	7-8	3	3
806	orientalis	oriental	li.	1	3	3
807	ornata	ornamented	p.	...	4	4
808	— alba	white	w.	...	4	4
809	pendula	pendulous	hA	ro.	...	3	3
810	— albiflora nova	new white	w.	...	3	3
811	Schafta	Schafta	hP†	ro.	1 1/2	3	3
812	sibirica	Siberian	g. & y.	...	3	3
813	striata	striped	hA	stri.	6	6
814	Solanum citrullifolium	Citrullus-leaved	5	25	146	hhA	b.	2	6	6
815	incertum	uncertain	hA	w.	6	6
816	Sparaxis tricolor	three-coloured	3	...	105	fPb	div.	1 6-7	6	6
817	Sphenogyne speciosa	showy	19	55	84	hhA	y.	7-8	3	3
818	Stachys coccinea	scarlet	14	58	107	hP†	s.	6-9	4	4
819	purpurea	purple	p.	...	4	4
820	— speciosa	showy	s.	...	4	4
821	Statiche formosa	beautiful	5	30	129	...	pk.	1 7-8	4	4
822	sinuata	sinuated	hhA	va.	6	6
823	Stenactis speciosa	showy	19	54	84	hP†	b.	1 1/2	3	3
824	Stevia purpurea	purple	...	53	p.	1 6-9	3	3
825	serrata	serrated	w.	...	3	3
826	Stipa pennata	feathered	3	26	102	...	ap.	2	3	3
827	Streptocarpus Rexii	Rex's	2	25	73	gP†	y.	1 6-8	4	4
828	Tagetes lucida	shining	19	54	84	...	b.	1 7-8	3	3
829	signata	striking	hhA	o.	2	3	3
830	Telckia speciosa	showy	hP†	y.	4	3	3
831	Tellina grandiflora	large-flowered	10	26	141	...	stri.	1 4-6	6	6
832	Tetranema mexicana	Mexican	14	59	143	sA	p. & w.	7-9	6	6
833	Thalia dealbata	whitish-(stalked)	1	25	116	gP	d. b.	4	6	6
834	Thermopsis lupinoides	Lupine-like	10	...	108	hP	y.	1	6	6
835	Thunbergia alata**	winged	14	59	63	gP†	bff. & d.	6 6-9	6	6
836	alata alba**	— white	w. & d.	...	6	6
837	— aurantiaca**	— orange	o. & d.	...	6	6
838	— Bakeri**	— Baker's	w.	...	6	6
839	— flava**	— yellow	y.	...	6	6
840	— mesolucua**	— white-centred	o. & w.	...	6	6
841	— sulphurea**	— sulphur	sul.	...	6	6
842	Tigridia caelestis	sky-blue	16	38	105	fPb	b.	1	10	10
843	pavonia	Peacock	y. & s.	7-9	6	6
844	— splendida nova	splendid new	div.	...	2	2
845	sp. ex Texas	Texian species	b.	...	10	10
846	Trachelium caeruleum	blue	5	25	78	hhB	...	2 7-8	3	3
847	caeruleum album	white	w.	...	3	3
848	Trichosanthes colubrina**	snake	21	49	89	fA	...	6-9	10	10
849	Tropeolum azureum**	azure	8	25	151	gPb	b.	4 7-9	10	10
850	brachyceras**	short-horned	y.	...	6	6
851	Heynianum**	Heyne's	gA	y. r. g.	...	10	10
852	Hockianum**	Hook's	gP	s.	...	10	10
853	Hookeri**	Sir W. J. Hooker's	gA	10	10
854	Hunneimanni**	Hunneimann's	s. & y.	...	10	10

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
855	<i>Tropæolum Jarrattii</i> **	<i>Mr. Jarratt's</i>	8	25	151	gPb	s. & y.	4	7-9	s. d.
856	<i>Loblium</i> **	<i>Mr. Lobb's</i>	gP†	l. s.	3	...	6
857	var. No. 1**	<i>Caroline Schmidl</i>	d. s.	1 0
858	var. No. 2**	<i>Lilli Schmidl</i>	s.	1 0
859	<i>Moritzianum</i> **	<i>Moritz's</i>	y. r. g.	4	...	6
860	— <i>ornatum</i> **	<i>ornamented</i>	6
861	<i>pentaphyllum</i> **	<i>five-leaved</i>	gPb	o. & y.	6
862	<i>speciosum</i> **	<i>showy</i>	gP†	car.	1 0
863	<i>tricolorum</i> **	<i>three-coloured</i>	gPb	3 col.	1 0
864	var. <i>belgica</i> **	<i>(Triomphe de Liège)</i>	gP†	s.	3	...	1 0
865	<i>maius citrinum</i> **	<i>citron</i>	hA	y.	5	...	4
866	— <i>cinnamomeum</i> **	<i>cinnamon</i>	br.	4
867	— <i>flavum</i> **	<i>yellow</i>	y.	4
868	— <i>Scheuermanni</i> **	<i>Scheuermann's</i>	tip†l	6
869	<i>minus</i>	<i>dwarf (true)</i>	y.	1	...	3
870	— <i>coccineum</i>	<i>scarlet</i>	s.	4
871	<i>peregrinum</i> **	<i>Canary-Bird</i>	hhA	y.	8	...	3
872	<i>Tulipa Gesneriana</i>	<i>Gesner's</i>	6	...	109	hPb	div.	1½	6-7	6
873	<i>Tweedia carulea</i> **	<i>blue</i>	5	26	70	hhB†	b.	4	7-9	4
874	<i>floribunda</i> **	<i>many-flowered</i>	4
875	<i>Venidium calendulaceum</i>	<i>Calendula-like</i>	19	54	84	hhA	d. y.	1	...	6
876	<i>Veratrum</i> , 3 sp.	<i>3 sp. mixed</i>	23	51	117	hP	div.	3	6-8	6
877	<i>Verbascum versicolor</i>	<i>various-coloured</i>	5	25	146	hP†	pa.	2	...	4
878	<i>Verbena Aubletia</i>	<i>Aublet's</i>	14	59	156	hhB†	p.	1	7-9	4
879	<i>Drummondii</i>	<i>Mr. Drummond's</i>	li.	4
880	<i>incisa coccinea</i>	<i>scarlet</i>	s.	1 0
881	<i>Niveni</i>	<i>Niven's</i>	w. & pk.	6
882	<i>pulcherrima</i>	<i>beautiful</i>	r.	4
883	<i>venosa</i>	<i>veiny</i>	ro.	4
884	<i>hybrida</i> , pl. var.	<i>hybrid mixed, ext.</i>	div.	1 0
885	<i>Vinca rosea</i>	<i>rose-coloured</i>	5	25	67	sS	pk.	...	3-9	6
886	<i>roseo-alba</i>	<i>white</i>	w.	6
887	<i>Viola odorata</i>	<i>sweet-scented (Violet)</i>	157	hP†	v.	½	5-7	3
888	<i>odorata semperflorens</i>	<i>perpetual-flowering</i>	5-10	6
889	— <i>semperflorens alba</i>	<i>white do.</i>	w.	6
890	<i>palmensis</i>	<i>Palma</i>	b.	1	6-8	6
891	<i>persicifolia</i>	<i>peach-flowered</i>	cream	...	5-8	3
892	<i>pyrolæfolia</i>	<i>Pyrola-leaved</i>	gP	y.	...	6-9	1 0
893	<i>Viscaria cœli-rosa</i>	<i>(Rose of Heaven)</i>	10	30	145	hA	ro.	...	7-8	3
894	<i>oculata</i>	<i>(dark-eyed)</i>	r.	3
895	<i>Vittadinia lobata</i>	<i>(Australian Daisy)</i>	19	54	84	hhA	w.	6
896	<i>Wahlenbergia lobelioides</i>	<i>Lobelia-like</i>	5	25	78	hA	b.	½	...	3
897	<i>Whitlavia grandiflora</i>	<i>large-flowered</i>	103	hhA	...	1	...	1 0
898	<i>Zinnia elegans</i>	<i>elegant</i>	19	54	84	...	v.	2	7-10	4
899	<i>elegans alba</i>	— <i>white</i>	w.	4
900	— <i>aurantiaca</i>	— <i>orange</i>	o.	4
901	— <i>coccinea</i>	— <i>scarlet</i>	s.	4
902	— — <i>major</i>	— <i>large scarlet</i>	4
903	— — <i>punctata</i>	— <i>spotted</i>	spot.	4
904	— <i>flava</i>	— <i>yellow</i>	y.	4
905	— <i>kermesina</i>	— <i>erimson</i>	cr.	4
906	— <i>miniata</i>	— <i>earmine</i>	c.	4
907	— <i>purpurea</i>	— <i>purple</i>	p.	4
908	— <i>rosea</i>	— <i>rose-coloured</i>	ro.	4
909	— <i>striatiflora</i>	— <i>striped-flowered</i>	stri.	4
910 to 919		<i>10 finest sorts</i>	div.	3 0

ADDITIONAL SEEDS. The numbers continued from page 25.

No.	s. d.	No.	s. d.
1679	6	1688	6
1680	1 0	1689	3
1681	6	1690	3
1682	3	1691	6
1683	6	1692	6
1684	1 0	1693	3
1685	1 0	1694	3
1686	1 0	1695	6
1687	1 0	1696	6

FLOWERS HAVING POPULAR NAMES.

The following plants are best known by the Popular Names, but the Scientific Name being necessary to show the genus to which they belong, it is also given. Such Popular Names as Convolvulus Minor, Flos Adonis, White Candytuft, Columbine, &c., have little or no affinity with the Latin, and are not to be considered as translations (see p. 5).

A — is employed to indicate varieties.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
920	Aster, Chinese, mixed	<i>Aster chinensis</i> , pl. var.	19	54	84	hhA	div.	2	7-10	3
921	German, quilled, m.	<i>chinensis fistulosus fl. p.</i>	6
922	— Globe, extra	— <i>globularis</i>	6
923	French Perfection	— <i>incomparabilis</i>	1 0
924	Paeony-flowered	— <i>paeoniiflorus</i>	1 0
925	Pyramidal	— <i>pyramidalis</i>	6
926	— Bouquet	— <i>multiflorus</i>	1 1/2	...	6
927	Turkey, new m.	— <i>turcicus novus</i> 10 v.	2	...	1 0
928	very dwarf	— <i>nanissimus</i>	1	...	6
929	Auricula, fine Alpine	<i>Primula Auricula</i> , pl. var.	5	25	134	hP	...	1/2	5-7	6
930	finest prize	<i>Auricula eximia</i>	fP	2 6
931	Balsam, fine double, m.	<i>Balsamina hortensis</i> , fl. pl.	...	71	...	tA	...	2	6-9	6
932	double scarlet	<i>hortensis coccinea</i>	s.	3
933	— spotted, 6 var.	— <i>punctata</i>	div.	6
934	— striped, 6 var.	— <i>striata</i>	6
935	— Camellia, fine m.	<i>Camelliaeflora</i>	6
936	— Rose-flowered, m.	<i>rosaeflora</i>	6
937	— new orange	— <i>aurantiaca</i>	o.	6
938	— new sulphur	— <i>sulphurea</i>	sul.	6
939	Candytuft, fragrant	<i>Iberis odorata</i>	15	60	88	hA	w.	1	...	3
940	purple	— <i>umbellata</i>	p.	3
941	new crimson	— <i>kermesina</i>	er.	3
942	Rocket	— <i>caronaria</i>	w.	3
943	rose	— <i>rosea</i>	ro.	3
944	white	— <i>amara</i>	w.	3
945	Canterbury Bell, pur.	<i>Campánula Medium</i>	5	25	78	hP+	p.	2 1/2	...	3
946	white	<i>Medium alba</i>	w.	3
947	double blue	— <i>flöre-pleno</i>	b.	3
948	— lilac	— <i>lilacina</i>	li.	3
949	— white	— <i>alba</i>	w.	3
950	Capsicum, fine mixed	<i>Capsicum annuum</i> , pl. var.	...	146	...	tA	f. va.	2	...	6
951	Carnation, double	<i>Dianthus Caryophyllus</i> , pl.	10	26	145	hP	div.	1 0
952	double, finest	— <i>Caryophyllus sphulens</i>	hhP	2 6
953	— perpetual	— <i>semperflorens</i>	5-10	2	6
954	Catchfly, Lobel's	<i>Silene Armeria</i>	...	28	...	hA	r.	1	6-7	3
955	white	<i>Armeria alba</i>	w.	3
956	Chrysanthemum trico.	<i>Chrysanth. carinatum</i>	19	54	84	...	3 col.	...	6-9	3
957	tricolor yellow	— <i>carinatum flavum</i>	y.	3
958	white and yellow, m.	— <i>coronarium</i> , 2 var.	y. & w.	2 1/2	...	3
959	Clary, purple and red	<i>Salvia Horminum</i> , 2 var.	2	25	107	...	p. & r.	1	...	3
960	Cockseemb, dwarf	<i>Celtis cristata nana</i>	5	...	64	tA	er.	4
961	dwarf yellow	— <i>cristata nana flava</i>	y.	6
962	— orange	— <i>nana aurantiaca</i>	o.	6
963	Columbine, double	<i>Aquilegia vulgaris</i> , fl. pl.	13	30	136	hP+	div.	2	6-8	3
964	Convolvulus major**	<i>Ipomoea purpurea</i> , pl. v.	5	25	86	hA	...	10	7-10	3
965	major, splendid, m.**	— <i>purpurea splendida</i> , 20	1 0
966	— blue**	— <i>caerulea</i> [var.]	b.	3
967	— crimson**	— <i>kermesina</i>	er.	3
968	— dark purple**	— <i>atropurpurea</i>	d. p.	3
969	— rose**	— <i>rosen</i>	ro.	3
970	— spotted**	— <i>punctata</i>	spot.	3
971	— striped**	— <i>striata</i>	stri.	3
972	— violet	— <i>violacea</i>	v.	3
973	— white**	— <i>alba</i>	w.	3
974	Convolvulus minor	<i>Convolvulus tricolor</i>	hA	b.	1	6-10	3
975	minor dark purple	— <i>tricolor atropurpureus</i>	d. b.	3
976	— double-flowered	— <i>flöre-pleno</i>	b.	6
977	— large-flowered	— <i>grandifloras</i>	p.	3
978	— striped	— <i>striatus</i>	stri.	3
979	— white	— <i>albus</i>	w.	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
No.							feet		s. d.
980	Cowslip, fine mixed	<i>Primula elatior</i> , pl. var.	5	25	134	hP+	div.	5-8	3
981	Cyamus (Corn Bottle)	<i>Centaurea Cyanus</i> , pl. var.	19	55	84	hA	...	6-9	3
982	— new rose	<i>Cyanus rosea</i>	ro.	3
983	— striped	— <i>striata</i>	stri.	3
984	— sky-blue	— <i>azurea</i>	s. b.	3
985	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	146	tA	p. fr.	2	3
986	— white	<i>ovigerum album</i>	w. fr.	3
987	Evening Primrose	<i>Oenothera biennis</i>	8	...	124	hP+	y.	7-8	3
988	Everlasting Flowers	<i>Helictrysum</i> sp. &c.	19	54	84	hA	div.	7-9	6
989	Flos Adonis	<i>Adonis aestivalis</i>	13	35	136	...	s.	1	7-8
990	Forget-me-not	<i>Myosotis palustris</i>	5	25	74	hP+	b. & y.	...	4
991	Foxglove	<i>Digitalis purpurea</i>	14	59	143	...	p.	...	3
992	Fraxinella, white	<i>Dictamnus Fraxinella</i>	10	25	140	hP	w.	6-8	3
993	— red	<i>Fraxinella rubra</i>	108	...	r.	...	3
994	French Honeysuckle	<i>Hedysarum coronarium</i>	17	45	108	hB+	s.	2	7-9
995	— white	<i>coronarium album</i>	w.	3
996	Geranium, finest m.	<i>Pelargonium hybridum</i>	16	42	100	gS	div.	3	6-9
997	— scarlet	<i>zonale</i> pl. var.	s.	6
998	Globe Amaranthus, p.	<i>Gomphrena globosa</i>	5	25	64	gA	p.	2½	7-9
999	— white	<i>globosa alba</i>	o.	3
1000	— orange yellow	<i>Haageana</i>	w.	6
1001	Globe Thistle	<i>Echinops sphærocephalus?</i>	19	57	84	hP	l. b.	5	6-9
1002	Gourd, giantie, new**	<i>Cucurbita Pepo gigantea</i>	21	49	89	fA	y.	7-9	6
1003	Bottle, 3 var.**	<i>Lagenaria</i>	w.	3
1004	Hereules' Club**	— <i>clava Herculis</i>	6
1005	— orange**	<i>aurantia</i>	y.	3
1006	— Pear**	<i>ovifera pyriformis</i>	3
1007	— Turban**	<i>var. liaraformis</i>	3
1008	Groundsel, American	<i>Senecio elegans</i>	19	54	84	hA	p.	1	...
1009	Hawkweed, red	<i>Cræpis rubra</i>	...	53	r.	7-8	3
1010	— white	<i>rubra alba</i>	w.	3
1011	— yellow	<i>Tolpis barbata</i>	y.	3
1012	— silvery	<i>barbata argentea</i>	sil.	3
1013	Heartsease (Pansy), ex.	<i>Viola tricolor hybrida</i>	5	25	157	hP+	div.	6-10	10
1014	— new bronze	<i>tricolor xerampelina</i>	br. r.	6
1015	Hollyhoek, Chinese, m.	<i>Alliaria chinensis</i> , pl. var.	16	48	115	hA	div.	2	7-9
1016	— rose-coloured	<i>rosea</i>	hP	ro.	7	6-9
1017	— black	— <i>nigra</i>	3
1018	— crimson	— <i>kermesina</i>	er.	3
1019	— purple	— <i>purpurea</i>	p.	3
1020	— red	— <i>rubra</i>	r.	3
1021	— variegated	— <i>variegata</i>	va.	3
1022	— white	— <i>alba</i>	w.	3
1023	— yellow	— <i>lutea</i>	y.	3
1024	— new prize, m.	— <i>nova eximia</i>	div.	10
1025	Honesty, pur. & white	<i>Lunaria biennis</i> , 2 sp.	15	60	88	hB+	p. & w.	3	5-7
1026	Ice Plant	<i>Mesembryan. crystallinum</i>	12	27	95	...	w.	...	7-8
1027	Jacobæa, double, m.	<i>Senecio elegans</i> fl. pl.	19	54	84	hA	div.	1	7-9
1028	— double crimson	<i>elegans kermesinus</i>	cr.	3
1029	— purple	— <i>purpureus</i>	p.	3
1030	— red	— <i>rubra</i>	r.	3
1031	— rose	— <i>roseus</i>	ro.	3
1032	— violet	— <i>violaceus</i>	v.	3
1033	— white	— <i>albus</i>	w.	3
1034	Jacob's Ladder, 2 var.	<i>Polemonium coeruleum</i>	5	25	130	hP+	b. & w.	1½	6-9
1035	Larkspur, dwarf*	<i>Delphinium Ajacis humile</i>	13	28	136	hA	div.	1	7-8
1036	— dwarf, German*	<i>Ajacis humile</i> , var.	6
1037	— blue	— <i>humile coeruleum</i>	b.	3
1038	— rose	— <i>roseum</i>	ro.	3
1039	— white	— <i>album</i>	w.	3
1040	Hyacinth-flowered*	— <i>hyacinthoides</i>	div.	6
1041	taller Pyramidal	<i>elatior pyramidalis</i>	6
1042	— blue	— <i>caelestinum</i>	b.	3
1043	— rose	— <i>roseum</i>	ro.	3
1044	— white	— <i>album</i>	w.	3
1045	German Branching	<i>Consolida</i> pl. var.	div.	2	7-9	6
1046	— blue	— <i>coeruleum</i>	b.	3
1047	— rose	— <i>roseum</i>	ro.	3

A — is employed to indicate varieties.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
No.										
1048	Larkspur, Branching w	<i>Delphinium Consolida, a.</i>	13	28	136	hA	w.	2	7-9	3
1049	Bce	<i>clatum, pl. var.</i>	hP†	div.	3
1050	Lavatera, red	<i>Lavatera trimestris</i>	16	48	115	hA	ro.	3	7-8	3
1051	white	<i>trimestris alba</i>	w.	3
1052	Lily of the Valley	<i>Convallaria majalis</i>	6	25	162	hPb	...	1	5-7	6
1053	Love Grass	<i>Eragrostis elegans</i>	3	26	102	hA	ap.	...	7-8	3
1054	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	64	...	r.	trai	...	3
1055	Lupines, Dutch blue	<i>Lupinus canaliculatus</i>	16	45	108	...	b.	2	7-9	3
1056	large blue	<i>hirsutus</i>	3
1057	— rose	<i>pilosus</i>	ro.	3
1058	small blue	<i>angustifolius</i>	b.	1½	...	3
1059	yellow	<i>luteus</i>	y.	2	...	3
1060	white	<i>albus</i>	w.	2	...	3
1061	Marigold, French, m.	<i>Tagetes patula, pl. var.</i>	19	54	84	hhA	div.	1½	7-10	3
1062	French, dwarf	<i>patula nana</i>	d. br.	1	...	3
1063	— dwarf orange	<i>— nana aurantiaca</i>	o.	3
1064	— superb striped	<i>— striatiflora fl. pl.</i>	stri.	1½	...	6
1065	— unique	<i>— simplex</i>	3
1066	— miniature*	<i>— nanissima</i>	br.	¾	...	3
1067	— — yellow*	<i>— flava</i>	y.	3
1068	African, m.	<i>erecta, pl. var.</i>	div.	2	...	3
1069	— lemon	<i>— citrina</i>	y.	3
1070	— orange	<i>— aurantiaca</i>	o.	3
1071	— quilled	<i>— fistulosa</i>	o. & y.	3
1072	— large-flowered	<i>— grandiflora</i>	o.	3
1073	Cape	<i>Calendula pluvialis</i>	...	56	...	hA	w. & p.	1	...	3
1074	hybrid	<i>hybrida</i>	w.	...	7-8	3
1075	superb garden	<i>officinalis superba</i>	o.	3
1076	Marvel of Peru, m.	<i>Mirabilis Jalapa pl. var.</i>	5	25	120	hhPb	div.	2	...	3
1077	gold-striped	<i>Jalapa aureo-striata</i>	stri.	...	6-8	3
1078	red-striped	<i>— rubro-striata</i>	3
1079	scarlet	<i>— coccinea</i>	s.	3
1080	superb, new	<i>— superba nova</i>	va.	3
1081	white	<i>— alba</i>	w.	6
1082	yellow	<i>— lutea</i>	y.	3
1083	sweet-scented	<i>longiflora</i>	w.	3
1084	— purple	<i>— purpurea</i>	p.	3
1085	Mignonette, per oz. 6d.	<i>Reseda odorata</i>	11	28	137	hA	buff	1	7-9	3
1086	new, large, oz. 1s.	<i>odorata grandiflora</i>	1½	...	3
1087	Musk-Plant	<i>Minulus moschatus</i>	14	59	143	hhP†	y.	¾	...	3
1088	Nasturtions, tall**	<i>Tropaeolum majus</i>	8	25	151	hA	o.	6	...	3
1089	tall carmine**	<i>majus miniatum</i>	c.	3
1090	— crimson**	<i>— kermesinum</i>	cr.	3
1091	— spotted**	<i>— punctatum</i>	spot.	3
1092	dwarf	<i>— coccineum nanum</i>	s.	1½	...	3
1093	Palma Christi, major	<i>Ricinus communis, major</i>	21	49	94	hhA	buff	6	7-8	3
1094	Pea, Lord Anson's**	<i>Lathyrus magellanicus</i>	17	45	108	hA	b.	3
1095	Tangier**	<i>tingitanus</i>	s.	4	...	3
1096	— striped**	<i>— striatus</i>	stri.	3
1097	Pea, Sweet** lb. 4s.	<i>Lathyrus odoratus, fl. pl.</i>	div.	6	...	3
1098	black**	<i>odoratus niger</i>	b.	3
1099	painted Lady**	<i>— pictus</i>	r. & w.	3
1100	purple**	<i>— purpureus</i>	p.	3
1101	— striped**	<i>— striatus</i>	stri.	3
1102	scarlet**	<i>— coccineus</i>	s.	3
1103	— striped**	<i>— striatus</i>	stri.	3
1104	white**	<i>— albus</i>	w.	3
1105	Persicaria, red	<i>Polygonum orientale</i>	8	28	132	...	r.	4	6-9	3
1106	white	<i>orientale album</i>	w.	3
1107	Pieotee, double	<i>Dianthus Caryophyllus, v.</i>	10	26	145	hP	div.	2	...	1 0
1108	extra fine	<i>Car. punctatus, fl. pl.</i>	hhP	2 6
1109	Pink, double	<i>moschatus, fl. pl.</i>	hP	...	1	...	1 0
1110	Polyanthus, fine*	<i>Prímula elatior polyantha</i>	5	25	134	hP†	...	¾	5-7	6
1111	extra fine	<i>polyantha eximia</i>	1 0
1112	Poppy, double m.	<i>Papaversomniferum, fl. pl.</i>	13	...	126	hA	...	2	7-8	3
1113	double black	<i>somniferum niger</i>	blk.	3
1114	— scarlet	<i>— coccineum</i>	s.	3
1115	— striped	<i>— striatum</i>	stri.	3

<i>A — is employed to indicate varieties.</i>			L.C.	L.O.	N.O.	H. & Dur.	Col. of Fl.	Height.	N. of Flow.	Price.
No.								feet		s. d.
1116	Poppy, double white	<i>Papaver somniferum, alb.</i>	13	25	126	hA	w.	2	7-8	3
1117	— new Globe	<i>somniferum globosum</i>	div.	6
1118	— Pæony	<i>— pæoniæflorum</i>	3
1119	— dwarf French, m.	<i>Rhæas</i>	1	...	3
1120	— scarlet	<i>— coccineum</i>	s.	3
1121	Primrose, Chinese, frim	<i>Primula sinensis fl. imbricata</i>	5	...	134	gP†	div.	...	10-51	0
1122	Prince's Feather, large	<i>Amaranthus speciosus</i>	21	40	64	hA	p.	3	7-8	3
1123	common	<i>hypochondriacus</i>	2	...	3
1124	Quaking Grass	<i>Briza maxima</i>	3	26	102	...	ap.	1	...	3
1125	Rocket, purple	<i>Hesperis matronalis</i>	15	61	88	hP†	p.	1½	6-9	3
1126	sweet	<i>tristis</i>	w.	1	...	3
1127	Rose Champion	<i>Lychnis coronaria</i>	10	31	145	...	er.	2	6-8	3
1128	Scabious, new dwarf	<i>Scabiosa nana</i>	4	25	91	hA	div.	1	6-9	3
1129	dark purple	<i>atropurpurea</i>	hP†	d. p.	2	...	3
1130	crimson	<i>— kermesina</i>	er.	3
1131	white	<i>— alba</i>	w.	3
1132	Sensitive Plant	<i>Mimosa sensitiva</i>	23	51	108	gS	pk.	...	7-9	6
1133	Stock, annual, m.	<i>Matthiola annua, pl. var.</i>	15	61	88	hhA	div.	1½	6-9	6
1134	German, m.	<i>annua densiflora, pl. v.</i>	1	...	1 0
1135	— crimson	<i>— kermesina</i>	er.	4
1136	— dark blue	<i>— atro-cerulea</i>	d. b.	4
1137	— light blue	<i>— late-cerulea</i>	l. b.	4
1138	— rose	<i>— rosea</i>	ro.	4
1139	— scarlet	<i>— coccinea</i>	s.	4
1140	— sulphur	<i>— sulphurea</i>	sul.	4
1141	— variable	<i>— variabilis</i>	w. & h.	4
1142	— white	<i>— alba</i>	w.	4
1143	large-flowered, m.	<i>— grandiflora, pl. var.</i>	div.	6
1144	— scarlet	<i>— coccinea</i>	s.	4
1145	Wallflower-leaved	<i>— cheirifolia (græca)</i>	div.	6
1146	— new sulphur	<i>— — sulphurea nova</i>	sul.	6
1147	— purple	<i>— — purpurea</i>	p.	3
1148	— scarlet	<i>— — coccinea</i>	s.	3
1149	— white	<i>— — alba</i>	w.	3
1150	hybrid, new	<i>— hybrida nova</i>	6
1151	intermediate, m.	<i>— intermedia, pl. var.</i>	div.	1½	8-10	6
1152	— scarlet	<i>— — coccinea</i>	s.	3
1153	new miniature	<i>— pygmæa, nova pl. v.</i>	div.	½	6-9	6
1154	— new sky-blue	<i>— — celestis nova</i>	s. b.	6
1155	— scarlet	<i>— — coccinea</i>	s.	3
1156	pyramidal	<i>— pyramidalis</i>	w.	1½	...	3
1157	Ten-week, m.	<i>— ranosa, pl. var.</i>	div.	3
1158	— purple	<i>— — purpurea</i>	p.	3
1159	— scarlet	<i>— — coccinea</i>	s.	3
1160	— white	<i>— — alba</i>	w.	3
1161	Brompton, m.	<i>simplicicaulis, pl. var.</i>	hhB	div.	3	5-7	6
1162	— purple	<i>— purpurea</i>	p.	3
1163	— scarlet	<i>— coccinea</i>	s.	3
1164	— white	<i>— alba</i>	div.	3
1165	Imperial, m.	<i>imperialis, pl. var.</i>	hhP†	w.	1½	6-10	6
1166	— rosy carmine	<i>— roseo-miniata</i>	ro. c.	6
1167	Queen, mixed	<i>incana, pl. var.</i>	hhB	div.	...	5-7	6
1168	— purple	<i>— purpurea</i>	p.	3
1169	— scarlet	<i>— coccinea</i>	s.	3
1170	— white	<i>— alba</i>	w.	3
1171	Sunflower, double tall	<i>Helianthus annuus</i>	19	55	84	hA	y.	7	7-9	3
1172	gigantic	<i>annuus giganteus</i>	12	...	6
1173	Californian, fl. pl.	<i>Californicus, fl. pl.</i>	6	...	6
1174	pyramidal	<i>pyramidalis</i>	3	...	3
1175	Sweet Alysson	<i>Alyssum maritimum</i>	15	60	88	...	w.	½	6-8	3
1176	— Briar	<i>Rosa rubiginosa</i>	12	35	138	hS	pk.	4	5-7	3
1177	— Sultan, purple	<i>Centaurea moschata</i>	19	55	84	hA	p.	2	7-8	3
1178	— white	<i>moschata alba</i>	w.	3
1179	— yellow	<i>suaveolens</i>	y.	3
1180	— Violet	<i>Viola odorata, pl. var.</i>	5	25	157	hP†	div.	½	5-7	6
1181	— William	<i>Dianthus barbatus, pl. v.</i>	10	26	145	hP	...	1½	6-9	3
1182	Venus'-Looking-Glass*	<i>Campanula Spæculum</i>	5	25	78	hA	b.	½	6-8	3
1183	blush*	<i>Spæculum carnea</i>	blsh.	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
1184	Venus'-Looking-Glass	<i>Campánula Spéculum alba</i>	5	25	78	hA	w.	$\frac{1}{2}$	6-8	3
1185	Venus'-Navel-wort	<i>Cynoglossum tinifolium</i>	74	1	...	3
1186	Virginian Stock, red	<i>Malcōmia maritima</i>	15	61	88	...	r.	$\frac{1}{2}$...	3
1187	white	<i>maritima alba</i>	w.	3
1188	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hS	d. br.	2	5-9	3
1189	bordered	<i>Cheiri marginatus</i>	bor.	3
1190	new dwarf	— <i>nanus novus</i>	br.	1	...	3
1191	violet	— <i>violaceus</i>	v.	2	...	3
1192	yellow	— <i>flavus</i>	y.	3
1193	double, mixed	— <i>flore-pleno, pl. var.</i>	div.	...	1	0
1194	— black	— <i>niger</i>	blk.	6
1195	— blue	— <i>caeruleus</i>	b.	6
1196	— light brown	— <i>brunneus</i>	l. b.	6
1197	— mulberry	— <i>moricolor</i>	mul.	6
1198	— new dwarf	— <i>nanus novus</i>	hr.	1	...	6
1199	— dwarf blue	— <i>caeruleus</i>	b.	6
1200	— — violet	— <i>violaceus</i>	v.	6
1201	— sulphur	— <i>sulphureus</i>	sul.	2	...	6
1202	— two-coloured	— <i>bicolor</i>	va.	6
1203	— variegated	— <i>variegatus</i>	6
1204	— violet	— <i>violaceus</i>	v.	6
1205	— yellow	— <i>flavus</i>	y.	6
1206	Winter Cherry	<i>Physalis Alkekengi</i>	5	25	146	hP+	w.	$2\frac{2}{3}$...	3
1207	Xeranthemum, purple	<i>Xeranthemum annuum</i>	19	54	84	hA	p.	2	7-9	3
1208	white	<i>annuum album</i>	w.	3
1209	yellow	<i>Heliopsis bracteatum</i>	y.	3
1210	new white	<i>bracteatum album</i>	w.	3
1211	Zinnia, golden	<i>Zinnia aurea</i>	hA	y.	3
1212	large-flowered	<i>grandiflora</i>	r.	3

HARDY, GREENHOUSE AND STOVE SHRUBS, &c.

<i>h. hardy.</i> <i>g. greenhouse.</i> <i>s. shrub.</i> <i>** climbers.</i>		Natural Order.	Hardiness.	Price per pack.	<i>h. hardy.</i> <i>g. greenhouse.</i> <i>s. shrub.</i> <i>** climbers.</i>		Natural Order.	Hardiness.	Price per pack.
No.				s. d.	No.				s. d.
1213	Abutilon indicum	115	g	1 0	1240	Bignonia 3 sp. ex India**	73	s	1 0
1214	striatum	6	1241	Bossiaea linophylla	108	s	6
1215	Acacia Dodoneaeifolia	108	...	6	1242	Brmia nodiflora	75	...	6
1216	leptophylla	6	1243	Buddleia Lindleyana	143	...	6
1217	leucoccephala	6	1244	Burchellia capensis	139	...	6
1218	pedunculata	6	1245	Caetux pl. sp. ex Texas	76	s	1 0
1219	pulchella	6	1246	Cajanus flavus	108	...	6
1220	speciosa	6	1247	Callitris quadrivalvis	85	...	1 0
1221	4 sp. ex India	...	s	1 0	1248	Camellia japonica fl. pl.	77	s	1 0
1222	Andrömada speciosa	93	h	6	1249	Caprifolium 6 sp.**	80	h	6
1223	Anthyllis Barba-Jovis	108	g	6	1250	Cassia corymbosa	108	g	6
1224	Aralia sp.	68	...	6	1251	grandiflora	6
1225	Ardüna acuminata	67	...	1 0	1252	Chironia frutescens	99	...	6
1226	bispinosa	1 0	1253	Chorozenia macrocephala	108	...	6
1227	Aristolochia pieta**	69	...	6	1254	4 species	1 0
1228	Sipho**	...	h	3	1255	Chrysanthemum indicum	84	h	1 0
1229	Asclepias sp. albiflora**	70	s	6	1256	indicum nanum	1 0
1230	Atrágene capensis**	136	g	6	1257	Clénatis 12 species**	136	...	1 0
1231	Aulax pinnifolia	135	...	1 0	1258	Clerodendrum odoratum	156	s	1 0
1232	Azalea indica	93	...	1 0	1259	fallax superbum	1 0
1233	pontica 20 var.	...	h	1 0	1260	Claanthus puniceus	108	g	6
1234	Bauhinia 2 sp.**	108	s	1 0	1261	Clitöria ternatea**	...	s	1 0
1235	Begonia nitida	72	...	6	1262	Cobra scandens**	82	g	6
1236	Berrya anomilla	150	...	1 0	1263	Coleonema alba	140	...	6
1237	Bignonia australis**	73	...	6	1264	Coronilla glauca	108	...	6
1238	laurifolia**	6	1265	montana	6
1239	radicans major**	...	h	6	1266	pieta	...	s	6

HARDY, GREENHOUSE AND STOVE SHRUBS, &c. (continued).

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

The following choice Seeds were received too late for the alphabetical arrangement.

<i>Ethionema cordifolia</i> , hA	6	<i>Mesembryanthemum roseum</i> lineare, fS	6
<i>Glossocoma clematidea</i> , hP†	6	<i>Nierembergia calycina</i> , hP†	1 0
<i>Inopsidium acule</i> (<i>Cochlearia acaulis</i>), hP†	6	<i>Paronychia argentea</i> , hP	6
<i>Lilium Colchicum</i> , hPb	1 0	* <i>Phlox Drummondii Victoria</i> , hA	1 0
<i>Limoniastrum Guyonii</i> , gS	1 0	— <i>Drummondii zinnabarina</i> , hA	1 0
<i>Luffa acutangula</i> , fA	6	<i>Schwerfelia superba</i> , sS	1 0
<i>Lycopersium texanum</i> , hA	6	<i>An elegant deciduous Shrub</i> , gS	1 0

ASSORTMENTS

comprising the finest, newest, and most distinct varieties, separate.

- I. *Hardy Annuals*; sow in the open borders from February till July and in September.
 II. *Half-hardy do.*; raise on gentle heat from March till April, for transplanting.
 III. *Hardy Perennials, Biennials and Shrubs*, open ground from March to September.
 IV. *Frame Perennials, Biennials and Shrubs*; raise on gentle heat from March to April.
 V. *Greenhouse Seeds* may be sown from January till September.
 VI. *Stove Seeds*; any time from January to September.

* Many of the hardy Annuals, as *Calliopsis*, may be successfully treated like the half-hardy, as *Calliopsis*, &c., but Larkspur and Poppy must be excepted. Some of the half-hardy Annuals, as Balsams, Brachycome, Phlox Drummondii, Portulaca, Salpiglossis, Schizanthus, Stocks, &c., are also proper for the Greenhouse.

No.	I. Hardy Annuals.	s. d.	No.	s. d.	No.	s. d.	No.	s. d.
1369	6 Calliopsis, tall	2 0	1418	4 Helichrysum	1 0	1467	4 Silene	1 0
1370	3 — dwarf	1 0	1419	4 Heliophila	1 0	1468	4 Sweet William	1 6
1371	4 Candytuft	0 9	1420	6 Ipomæa	1 6	1469	6 Wallflower	2 6
1372	4 Chrysanthemum	0 9	1421	3 Loasa	0 9			
1373	4 Clarkia elegans	0 9	1422	6 Lobelia	1 6	IV. Frame Perennials.		
1374	4 — pulchella	0 9	1423	4 Marigold, French	1 0			
1375	4 Collinsia	0 9	1424	4 — African	1 0	1470	3 Alonsoa	0 9
1376	4 Convolvulus minor	1 0	1425	4 Martynia	1 3	1471	3 Commelina	1 0
1377	4 Cyanus	0 9	1426	4 Mesembryanthemum	1 3	1472	4 Ipomopsis	1 3
1378	3 Eutoca	0 9	1427	4 Nemesia	1 6	1473	6 Lobelia	1 6
1379	4 Gilia	0 9	1428	6 Petunia	1 6	1474	6 Marvel of Peru	1 6
1380	4 Godetia	0 9	1429	6 Phlox Drummond.	2 0	1475	6 Mimulus, dwarf	1 6
1381	4 Hawkweed	0 9	1430	4 Podolepis	1 0	1476	4 — tall	1 0
1382	4 Hibiscus	0 9	1431	6 Portulaca	2 0	1477	3 Stock, Brompton	0 9
1383	4 Jacobæa	0 9	1432	6 Salpiglossis	2 0	1478	4 — Imperial	1 6
1384	6 Larkspur, dwarf	1 6	1433	4 Schizanthus	1 0	1479	3 — Queen	0 9
1385	4 Leptosiphon	1 6	1434	6 Stock, German	1 6	1480	6 Verbena	1 6
1386	4 Limnanthes	1 0	1435	6 — new large	2 0			
1387	4 Linaria	0 9	1436	6 — Miniature	2 0	V. Greenhouse Seeds.		
1388	4 Lupinus, old sorts	0 9	1437	4 — Ten-week	1 0	1481	4 Acacia	1 3
1389	4 — newer sorts	0 9	1438	6 — Intermediate	1 6	1482	4 Anagallis	1 6
1390	4 Malope	0 9	1439	4 — Wallflower-lvd.	1 6	1483	3 Browallia	0 9
1391	4 Nasturtion, tall	1 0	1440	6 Zinnia elegans	1 9	1484	3 Calceolaria	2 6
1392	3 — dwarf	0 9				1485	3 Calampelis	1 0
1393	6 Nemophila	1 3	III. Hardy Perennials, Biennials and Shrubs.			1486	4 Cassia	1 6
1394	4 Nolana	1 0				1487	4 Cincaria	3 0
1395	4 Oenothera	1 0	1441	6 Antirrhinum	1 6	1488	4 Chorozema	2 0
1396	4 Poppy, finest	1 0	1442	4 Aquilegia	1 0	1489	3 Cockscomb	1 0
1397	4 Scabious	1 0	1443	4 Campanula	1 0	1490	4 Cuphea	1 6
1398	4 — new dwarf	1 0	1444	4 Canterbury Bell	1 0	1491	6 Erica	2 0
1399	4 Schizanthus	0 9	1445	6 Carnation & Picotee	1 0	1492	4 Geranium	2 6
1400	4 Silene	0 9	1446	4 Centaurea	1 0	1493	4 Globe Amaranth	1 6
1401	4 Sunflower	1 0	1447	6 Clematis	1 6	1494	4 Helichrysum	1 3
1402	6 Sweet Peas	1 6	1448	4 Delphinium, tall	1 0	1495	4 Heliotropium	1 0
1403	3 Sweet Sultan	0 9	1449	6 — Chinese	1 6	1496	4 Hibiscus	1 6
1404	3 Venus'-Look Glass	0 9	1450	6 Dianthus, dwarf	1 6	1497	3 Indigofera	1 0
1405	4 Xeranthemum	1 0	1451	4 Digitalis	1 0	1498	8 Ipomæa	5 0
			1452	4 Everlasting Peas	1 0	1499	3 Kennedya	1 0
			1453	4 Eschscholtzia	1 6	1500	4 Lophospermum	1 3
			1454	4 Forget-me-not	1 3	1501	4 Maurandya	1 3
			1455	4 Gaillardia	1 3	1502	4 Passiflora	1 6
1406	12 Aster, new Turk.	3 6	1456	4 Gentiana	1 0	1503	6 Primula sinensis	7 6
1407	12 — new Præny-d.	3 6	1457	4 Gemm	1 0	1504	3 Solanum	1 0
1408	6 —, various	2 0	1458	8 Hollyhock	1 6	1505	4 Thunbergia	1 3
1409	6 Balsam, double	1 6	1459	8 — new Prize	2 6	1506	6 Tropæolum	5 0
1410	4 Brachycome	1 0	1460	4 Indian Pink	1 0			
1411	4 Calandrinia	1 0	1461	6 Lupins	1 6	VI. Stove Seeds.		
1412	4 Calliopsis	1 3	1462	4 Lychuis	1 0	1507	4 Canna	1 0
1413	3 Chænostoma	0 9	1463	4 Oenothera	1 0	1508	4 Gesneria	3 0
1414	8 Convolvulus major	1 6	1464	4 Papaver	1 0	1509	3 Poinciana	2 0
1415	4 Cuphea	1 0	1465	6 Pentstemon	2 0	1510	2 Vinca	0 9
1416	4 Gaillardia	1 3	1466	6 Potentilla	1 6			
1417	4 Gourds	1 0						

SELECTIONS OF FLOWER SEEDS.

The following lists of Hardy and Half-hardy Annuals, Perennials, Greenhouse and Stove Seeds will be useful to Customers in making a selection, as they comprise the most favourite sorts. Some of the Hardy Annuals, as Calliopis, which flower earlier when treated as half-hardy, will be found under both sections. A few Biennials and Perennials commonly treated as Annuals, as Antirrhinum, Calandrinia, Eschscholtzia, &c., are included among the latter. Some of the hardy and half-hardy Annuals, &c. are also proper for the Greenhouse, as Nemophila maculata, Stocks, &c. Selections may also be made from pages 24 and 25.

Dwarf Hardy Annuals, from $\frac{1}{2}$ to 1½ feet in height.—Assortments 45 to 47, 56 (see page 4), Nos. 74, 127, 129, 132, 153, 162, 167, 170 to 172, 180, 181, 204, 205, 209, 213, 214, 236 to 239, 248, 252, 254, 260, 263, 285, 308, 324, 343, 365, 367 to 372, 374, 375, 379 to 381, 405 to 408, 411 to 421, 425, 427, 495 to 497, 503 to 508, 515 to 518, 521, 567 to 572, 625 to 628, 635 to 639, 657, 658, 662, 668, 673, 719, 728, 786, 787, 793 to 800, 809, 810, 813, 817, 869, 870, 893, 894, 897, 939 to 944, 956, 957, 974 to 979, 989, 1009 to 1012, 1013, 1027 to 1033, 1035 to 1044, 1073 to 1075, 1085, 1086, 1119, 1120, 1128, 1175, 1182 to 1187.

Taller Hardy Annuals, from 1½ ft. to 3 ft. and upwards in height.—Assortments 36, 48, 53, 55, Nos. 67, 68, 79, 93, 95 to 108, 118 to 120, 164 to 169, 173, 174, 230 to 235, 363, 373, 450, 451, 529, 558 to 566, 589 to 591, 593, 718, 865 to 868, 871, 958, 981 to 984, 1015, 1045 to 1049, 1054 to 1060, 1076 to 1084, 1088 to 1091, 1097 to 1106, 1112 to 1118, 1122, 1123, 1171 to 1174, 1177 to 1179, 1207 to 1210.

Dwarf Half-hardy Annuals, &c., from $\frac{1}{2}$ ft. to 1½ ft. in height.—Assortments 11 to 30, 40, 49, 61, Nos. 61, 70, 117, 145, 146, 154, 167, 170, 215 to 217, 243 to 246, 280, 388, 391, 446, 448, 459, 536, 538 to 544, 546, 547, 550 to 553, 603 to 607, 613, 623, 624, 719 to 726, 729 to 741, 768, 770, 817, 875, 895, 926, 928, 1062, 1066, 1087, 1087, 1133 to 1160.

Taller Half-hardy Annuals, &c., from 1½ ft. to 3 ft. and upwards in height.—Assortments 1 to 10, 37 to 39, 50, 54, 59 or 60, Nos. 133 to 140, 150, 151, 158, 159, 161 to 170, 173, 174, 175, 212, 210 to 242, 261, 262, 269 to 272, 276 to 279, 281, 282, 351, 385 to 387, 389, 392, 428 to 445, 465, 473 to 475, 509, 524, 525, 586 to 588, 595 to 599, 602, 615, 679, 709, 710 to 717, 771 to 775, 780, 790 to 792, 802, 814, 829, 871, 898 to 909, 920 to 925, 931 to 938, 964 to 973, 988, 1061, 1064, 1068 to 1072, 1093, 1211, 1212.

Dwarf Hardy Perennials, from $\frac{1}{2}$ ft. to 1½ ft. in height.—Nos. 75 to 77, 91, 92, 116, 130, 176 to 178, 264, 265, 274, 287 to 293, 308, 334 to 339, 343 to 345, 347, 349, 393, 394, 426, 461, 522, 582, 616 to 620, 633, 656, 663, 742 to 753, 788, 789, 801, 821, 831, 887 to 891, 929, 980, 1013, 1052, 1109, 1110, 1111, 1126, 1198 to 1200.

Taller Hardy Perennials, from 1½ ft. to 3 ft. and upwards in height.—Assortments 43, 44, 52, 57, 58, 72, 73, Nos. 89, 95 to 115, 163, 179, 182, 183, 186 to 190, 200, 201, 202, 211, 218, 279, 286, 294 to 306, 311 to 315, 318, 331, 342, 350, 352 to 358, 360 to 362, 366, 390, 449, 498 to 502, 510, 511 to 514, 530, 573 to 581, 583 to 585, 594, 600, 601, 660, 661, 665, 682 to 684, 694 to 708, 727, 769, 776 to 779, 781 to 785, 807, 808, 818 to 820, 823, 826, 830, 834, 846, 847, 876, 963, 987, 992 to 995, 1001, 1016 to 1024, 1034, 1049, 1076 to 1084, 1125, 1127, 1188 to 1197, 1201 to 1205, 1206.

Half-hardy Perennials, height various.—Assortments 31 to 35, 41, 42, 52, Nos. 66, 70, 94, 159, 160, 255 to 257, 319 to 333, 359, 409, 457, 485 to 489, 526, 529, 533 to 535, 582, 608 to 613, 674 to 678, 765, 842 to 845, 1161 to 1170.

Greenhouse Seeds, height various.—Assortments 15, &c., 37 to 40, 50, 51, 54, Nos. 83 to 88, 121, 141 to 143, 147 to 149, 155, 156, 187, 188, 206, 219 to 226, 247, 351, 376, 464, 476, 478, 482, 493, 526, 533 to 535, 555, 632, 659, 685 to 693, 709 to 717, 719 to 726, 733 to 741, 754 to 763, 770 to 775, 790 to 792, 802, 816, 827, 828, 835 to 841, 849 to 864, 892, 930, 931 to 938, 985, 986, 997, 998 to 1000, 1132, 1134 to 1144, 1154, 1161 to 1170. See also Greenhouse Seeds, pages 22 and 23.

Stove Seeds, height various.—Nos. 62, 124, 192 to 197, 399, 410, 424, 466, 478 to 484, 885, 886, & p. 23.

Aquatics.—Nos. 71, 519, 520, 621, 622, 644 to 655, 833.

Reference to the Newest Annuals, &c. introduced this year for the first time.—Nos. 314, 371, 372, 428, 503, 649, 755, 761, 762, 897, 1686, 1687, 1696.

The following have been introduced within the last two years.—Nos. 117, 170, 174, 205, 212, 214, 246, 248, 253, 257, 263, 272, 339, 387, 389, 392, 424, 429, 435, 465, 500, 516, 517, 523, 524, 525, 529, 531, 545, 552, 553, 559, 562, 569, 570, 571, 572, 602, 617, 662, 679, 709, 717, 722, 726, 727, 737, 761, 762, 770, 774, 810, 813, 814, 844, 845, 857, 858, 865 to 868, 870, 875, 895, 923, 924, 926, 1014, 1040, 1066, 1067, 1080, 1160, 1154, 1155, 1172, 1173, 1193, 1201, 1227, 1269, 1348, 1682, 1685, 1691, 1692.

HARDY AND GREENHOUSE BULBS.

12, 25 or 50 Bulbs may be had at the same rate as per 100; and 3 at the same rate as per doz.

HARDY BULBS.		s. d.		s. d.
Amaryllis lutea, yellow	each	0 3	Zephyranthes candida, white	per doz. 2 0
Bella-Donna	"	0 9	Atamaseo, <i>Atamaseo Lily</i>	" 3 0
formosissima, most beautiful	"	0 6	carinata, keel-shaped	" 5 0
Anomatheca cruenta	"	0 2	grandiflora, large-flowered	" 5 0
Anemones, double, 100 varieties	per 100	20 0	rosea, rose-coloured	" 5 0
double, scarlet	"	10 0	sp. ex Texas	each 1 0
double, mixed	"	6 0	GREENHOUSE BULBS.	
single, scarlet	"	6 0	Amaryllis aulica, courtly	each 4 0
— finest new mixed	"	3 6	crocata grandiflora	" 4 0
Anemone hortensis, 25 fine var.	for	5 0	— superba, superb	" 4 0
fine mixed	per 100	10 0	Johnsoni striatiflora, striped	" 4 0
Crinum capense, Cape	each	1 0	miniata, vermilion	" 3 6
Cyclamen europæum, European	"	0 9	reginae, Queen's	" 5 0
Dahlia, dry roots, from 12s.	per doz.	18 0	speciosa, showy	" 4 0
Gladiolus gandavensis, Ghent	"	3 0	vittata, striped	" 2 6
natalensis (psittacinus)	"	2 0	— major, large-flowered	" 3 6
oppositiflorus (floribundus)	"	2 6	fine mixed	per doz. 24 0
ramosus, branching	"	3 0	Coburgia flava, yellow	each 3 6
Victoria regina, Queen's	"	5 0	incarnata, flesh-coloured	" 3 6
24 in 8 fine var.	for	8 0	Cyclamen coum, Cos	" 1 0
Gladiolus, new Seedlings, extra	doz.	15 0	persicum, Persian	" 1 0
— do. from G. gandavensis	"	9 0	— album, white	" 1 0
— do. do. mixed	"	5 0	— punctatum, spotted	" 1 0
Iris susiana, Susian	"	3 0	— variegatum, variegated	" 1 0
— tuberosa, tuberous	"	3 0	Cyrtanthus obliquus	" 3 6
Ismene in 3 var., 4 of each	"	6 0	Gesneria, 3 fine species, 7s.	" 2 6
Lilium speciosum, red	each	3 0	Gloxinia, 3 do. do. 7s.	" 2 6
speciosum, white	"	1 6	Nerine aurea, golden	" 3 6
Ornithogalum arabicum	"	0 6	Pentlandia miniata, carmine	" 1 6
Pancratium illyricum	"	1 6	Phædranassa chloracea	" 1 6
Ranunculus, double, 100 varieties	100	20 0	Tropæolum azureum, blue	" 3 6
extra fine, mixed	"	7 0	brachyceras, short-horned	" 1 6
Turban, scarlet	"	2 6	Jarrattii, Mr. Jarratt's	" 1 6
— dark crimson	"	2 6	pentaphyllum, five-leaved	" 1 0
— Scraphique	"	3 0	tricolorum, three-coloured	" 1 6
— yellow	"	3 0	SUNDRY PLANTS.	
— finest new mixed	"	5 0	Carnations, prize flowers	12 pair 16 0
new Scotch, named	doz.	4 0	Picotees, white-grounds	12 " 16 0
— finest mixed	100	5 0	—, yellow-grounds	12 " 16 0
Tigridia pavonia, Peacock	per doz.	2 0	Roses, Standards, finest	per doz. 24 0
conchiflora, yellow	"	3 0	— dwarfs, &c. &c.	per doz. 12s. to 18 0
superba, superb	"	3 6		
Tuberoses, double, require heat	"	4 0		

FRUIT SEEDS. Per packet.

per packet.	s. d.	per packet.	s. d.
Apricot	" 6	Melon, Water, black Spanish	" 6
Currant, white, red and black, each	" 6	— — Carolina	" 6
Gooseberry, white	" 6	— — Ice-cream	" 6
— red	" 6	— — Long Island	" 6
Grape, finest-flavoured	" 1 0	— — Sweet Cabul	" 6
Melon, Beechwood	" 1 0	— — fine mixed	" 6
— Bromham Hall	" 1 0	Mulberry, white	" 6
— Carter's new hybrid	" 1 0	— black	" 6
— Earliest Cantalupe	" 6	Nectarine	" 6
— Prescott do.	" 6	Quince	" 6
— Egyptian green-flesh	" 6	Peach	" 6
— Fine netted do.	" 6	Pear and Apple, each	" 6
— Green Citron	" 6	Plum, mixed	" 6
— Netted green-flesh	" 6	Raspberry, finest red	" 6
— New Pocket	" 1 0	Strawberry, red Alpine	" 6
— Rock, scarlet	" 6	— white Alpine	" 6
— splendid large green	" 1 0	— British Queen	" 6
— Trentham Hall	" 1 0	— Elton Pine	" 6
— fine mixed, 20 var.	" 1 0	— Keen's Seedling	" 6
— 6 fine sorts	" 4 0	— fine mixed	" 6

KITCHEN-GARDEN SEEDS, ETC.

Explanations:—oz. signifies *ounce*; lb. *pound*; pa. *packet*; bush. *bushel*. A $\frac{1}{4}$ of a lb. may be had at the same rate as a *lb.*; $\frac{1}{2}$ an oz. at the same rate as an oz.; a *pint* at the same rate as a *qt.*; and a *peck* at the same rate as a *bushel*.

* * The Numbers 1 to 12 represent the months of the year, as 3 and 4 March and April, &c. &c.

Month of Sowing.	KITCHEN GARDEN SEEDS.	Price.	Month of Sowing.	See Note at page 31.	Price.
	<i>See note page 31.</i>	<i>s. d.</i>			<i>s. d.</i>
3 and 4	Artichoke, green per oz.	1 0	3 to 4	Broccoli, Hanks' late white oz.	1 0
	purple „	1 0		Howden's superb „	1 0
	Asparagus, Giant per lb.	2 0		Invisible „	1 0
	large early Batavian per oz.	6		Incomparable white „	1 0
10 to 6	Beans, <i>early sorts</i> per qt.			self-protecting „	1 0
	earliest dwarf Fan „	8		Lake's white „	1 0
	early Mazagan „	8		large Cornish „	1 0
	— long-pod „	8		— Spring white „	1 0
	green Nonpareil „	8		late Cape „	1 0
	Johnson's Wonderful „	8		— close-headed pur. „	1 0
	new Emperor „	8		— white „	1 0
1 to 5	largest Windsor „	9		London Particular „	1 0
	Taylor's do. „	9		Miller's dwarf white „	1 0
3 to 5	Beet, fine large red per oz.	4		new Mammoth „	1 0
	new German „	4		new Victoria „	1 0
	new purple-top „	4		Portsmouth „	1 0
	Mitchel's crimson „	4		Potter's new pink „	1 0
	small red pickling „	4		Snow's superb „	1 0
	turnip-rooted „	3		very late dwarf Danish „	1 0
	silver or Spinach Beet „	3		Wileove large white „	1 0
	white „	3		Winter Imperial „	1 0
	Garnishing, in 3 eol. per pa.	3		1 oz. 8 best for succession	7 0
3 to 4	Borecole, or Kail per oz.			1 „ 4 do. do.	3 6
	dwarf green curled „	3		$\frac{1}{2}$ „ 8 do. do.	3 6
	dwarf brown „	3		$\frac{1}{2}$ „ 4 do. do.	1 9
	tall green „	3	3 to 4	Brussels Sprouts per oz.	6
	Asparagus, new „	4		imported Belgian „	1 0
	Blue Giant „	4	3 to 9	Cabbage, Atkins' Matchless „	6
	Buda „	3		Barnes' early „	6
	Delaware „	3		Carter's early „	1 0
	Jerusalem „	3		Carter's Matchless „	1 0
	Knoll „	3		early Battersea „	6
	new feathered Scotch „	4		— dwarf „	6
	new heading „	4		— East Ham „	6
	Palm-leaved „	1 0		— Emperor „	6
	purple „	3		— Enfield Market „	6
	Ragged Jack „	3		— London Market „	6
	variegated, 3 vars. „	6		— Marrow, Tiley's „	6
4 to 6	Broccoli, early pur. Cape per oz.	1 0		— Nonpareil „	6
	Cape white „	1 6		— Paignton „	6
3 to 5	early cauliflower „	1 0		— Paragon „	8
	— close-headed pur. „	1 0		— Reliance „	8
	— Grange's „	1 6		— Sprothro' „	6
	— Malta „	1 0		— Sugar-loaf „	6
	— purple „	1 0		— superfine „	6
	— sprouting „	1 0		— Vanack „	6
3 to 4	— Walcheren „	1 0		— West Ham „	6
	— white „	1 0		— York „	6
	Adam's white „	1 0		King of the Cabbages „	6
	Brimstone „	1 0		Shilling's Queen „	6
	Chappel's cream „	1 0		large Battersea „	6
	Dilecock's Bride per pa.	1 0		— Imperial „	6
	dwarf Russian per oz.	1 0		— Pomeranian „	8
	— Siberian „	1 0		— York „	6
	Elletson's gigantic „	1 0		— Drumhead „	3

Month of Sow.	oz. ounce ; lb. pound ; qt. quart. 3 & 4, March & April, &c. &c.	Price.	Month of Sow.	pa. packet ; bush. bushel. 10 to 6, November till June, &c.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 9	Cabbage, 1 oz. 6 finest for succes.	3 0	9 to 6	Cucumber, Conning's per pa.	1 0
	½ „ 6 do. do.	1 6		Conqueror of the West „	1 0
	Red, for Pickling per oz.	6		*Cuthill's black spine „	6
3 to 6	— Dutch, large „	6		— Improved „	1 0
	Savoy, new dwarf Uhm „	1 0		Gigantic white „	1 0
	— dwarf green „	6		Hunter's fine „	1 0
	— Drumhead „	6		*Lord Kenyon's Favorite „	6
	— globe „	6		Manchester Prize „	6
	— yellow „	6		Mill's Jewess „	6
	— yellow Blumenthaler „	6		New Prolific „	6
	Chou de Marseilles „	1 0		Sagg's new Exhibition „	1 0
	Chou de Milan, imported „	1 0		*Sion House „	6
3 to 8	Colewort (for greens) „	6		Victory of Suffolk „	1 0
	Couve Tronehuda „	1 0		*Weedon's frame „	6
	Kohl-Rabi, under-ground „	3		6 finest varieties „	5 0
	— aboveground, ear. wh. „	6	4 & 5	Egg Plant „	3
	— — early blue „	6	5 to 8	Endive, green curled per oz.	6
	— large purple „	3		white curled „	6
	Thousand-headed „	3		new mossy green „	1 0
2 to 9	Carrot, early 11 orn per lb. 4s. „	4	8 to 9	green curled winter „	6
	early scarlet frame „	4	5 to 8	Batavian, green „	6
	— long Frankfort „	4		— white „	6
3 to 4	long Surrey, per lb. 4s. „	4	2 & 6	French Beans, dwarf dun, p. qt.	1 6
	— orange, „ „ 4s. „	4		dwarf Canterbury „	1 6
	scarlet Altringham, lb. 3s. „	3		— Case-knife „	1 6
3 to 5	Cauliflower, early „	1 6		* — dark dun „	1 6
and in	late „	1 6		* — early foreing „	1 6
August	large Asiatic „	1 6		— earliest Victoria „	1 6
	London Market „	1 6		— early prolific „	1 6
	new Giant „	1 6		* — Fulmer's foreing „	1 6
	Waleheren „	1 6		* — New Nonsuch „	1 6
	1 oz. 4 best for sueccssion „	5 0		* — Negro „	1 6
	½ „ 4 do. do. „	2 6		— Pearl Sugar, extra „	1 6
3 to 5	Cardoon, Spanish per oz.	6		— Silver-skinned „	1 6
	new large purple „	1 0		— speckled „	1 6
	Celery, Giant red „	4		— Newington Wonder „	1 6
	Giant white „	4		— Royal dwarf „	1 6
	Champion white „	6		* — Sion House „	1 6
	Cole's solid red „	6		— white Princess „	1 6
	— Crystal white „	6		tall or Searlet Runners „	1 6
	Jones' Matchless „	4		— Painted Lady do. „	1 6
	Lane's new red „	6		— new white do. „	1 6
	large-rooted Celeriae „	3		— Dutch Case-knife „	1 6
	— new curled do. „	3		— French Haricots „	1 6
	Law's white Giant „	4		— Pearl or Turkey „	1 6
	Manchester red „	4			
	— white „	4	3 to 5	Ice Plant per pa.	3
	Seymour's white „	4	4 to 5	Indian Corn, Quarantain „	3
	solid red „	3	3 to 5	Leek, London Flag per oz.	6
	— white „	3		early Summer „	6
	Corn Salad „	3		Musselburg „	1 0
2 to 10	Cress, common per qt.	1 6		new Giant „	1 0
	triple curled „	1 6	3 to 9	Lettuce, Cos, Bath* „	1 0
	golden „	3		*Cos, black-seeded Bath „	1 0
	Normandy „	3		— Alphonse „	1 0
	perennial American „	3		— Brighton or Cove „	1 0
	Water „	6		— Cape „	1 0
9 to 6	Cucumber, fine frame „	6		* — brown „	1 0
4 & 5	long prickly, per oz. 1s. „	3		* — Egyptian „	1 0
	long German „ 1s. „	3		— Florence „	1 0
	long Ridge „ 1s. „	3		— green „	1 0
	Stockwood, extra „	6		— Imperial „	1 0
	short prickly, „ 1s. „	3		— Monstrous „	1 0
	white Turkey „ 1s. „	3		* — new hardy green „	1 0
	Prize frame varieties :			* — — white „	1 0
9 to 6	Brown's Improved, per pa.	1 0		— — spotted „	1 0
	Carter's white spine „	1 0		— Newington „	1 0
	*Colney Hatch, w. s. „	1 0		— Nonpareil, white „	1 0
				— — green „	1 0

Month of Sow.	oz. ounce; lb. pound; qt. quart. 3 & 4, March & April, &c. &c.	Price.	Month of Sow.	pa. packet; bush. bushel. 10 to 6, November till June, &c.	Price.
		s. d.		feet.	s. d.
* Both for Autumn and Spring Sowing.	3 to 9 Lettuce, Cos, Paris per oz.	1 0	10 to 5	Peas, early frame 3 qt.	8
	*Cos, red Winter "	1 0		— Warwick 3 "	8
	— white "	1 0		— Charlton 4 "	8
	1 oz. 6 best sorts "	6 0		Auvergne, fine 4 "	1 0
	½ " 6 do. do. "	3 0		Bishop's new long-pod. 1½ "	1 0
	Cabbage, Asiatic "	1 0		Champion of England 4 "	1 0
	— Belle et Bonne "	1 0		Early blue Eclipse 2 "	1 0
	— blood-red "	1 0		Fairbeard's Surprise 4 "	1 0
	*— brown Dutch "	1 0		New, dwarf 1 "	1 0
	— Drumhead "	1 0			
	— early Stone "	1 0		11. <i>Later sorts.</i>	
	— Grand Admiral "	1 0	1 to 6	Marrow, Stub's blue 2½ "	1 0
	*— hardy Hammersmith "	1 0		— dwarf white 4 "	10
	— Imperial "	1 0		— dwarf green 4 "	10
	— Magnum Bonum "	1 0		— Noble's green 4 "	1 0
	— Malta "	1 0		— Glory of England 6 "	10
	— Marsilles "	1 0		— matchless green 5 "	10
	— Mogul "	1 0		— Royal Victoria 6 "	10
	— Neapolitan, new "	1 6		— Woodford's green 2½ "	10
	*— white "	1 0		111. <i>Wrinkled.**</i>	
	— red Swedish "	1 0		British Queen 6 "	1 4
	*— Tennis-ball "	1 0		Carter's Victoria 6 "	1 6
	— Victoria "	1 0		Hairs' dwf. Mammoth 2½ "	1 6
	— yellow Prince "	1 0		Knight's dwarf white 3 "	1 0
	— Silesian, brown "	1 0		— dwarf green 3 "	1 0
	— spotted "	1 0		— tall white 5 "	1 0
	1 oz. 6 finest sorts "	6 0		— Ne Plus Ultra 6 "	1 6
	½ " 6 do. do. "	3 0		King of the Marrows 6 "	1 6
	4 to 5 Love apple (Tomato), red oz.	1 0		Lord Raglan 3½ "	5 0
	yellow packet 3d. "	1 0		Ward's Incomparable 6 "	1 6
	3 to 6 Mallow, garnishing per pa.	3	1 to 6	IV. <i>Various Peas.</i>	
	2 to 10 Mustard, white per qt.	1 4		Bedman's Imperial 2½ "	8
	3 to 6 Onion, blood-red, per lb. 7s. p. oz.	6		Blue Prussian 3 "	8
	*Deptford " 5s. "	4		Black's Victory 2 "	8
	3 to 5 Globe " 6s. "	6		Scimitar 3 "	8
	— new white "	6		Sugar (eatable pods) 3 "	1 6
	James's keeping "	6			
	3 to 8 *Lisbon "	4		Peas for Succession.	
	*new Giant "	6		10 finest sorts 2 qts. each	25 0
	3 to 6 Pickling "	6		10 do. do. 1 "	12 6
	Portugal, brown 6s. "	6		10 do. do. 1 pint "	6 6
	— white " 6s. "	6		6 newest do. 1 qt. "	10 0
	*Reading " 6s. "	6		6 do. do. 1 pint "	5 0
	Silver-skinned "	6		6 dwarfest do. 1 qt. "	6 0
	*Spanish, brown " 6s. "	6			
	*— white " 6s. "	6			
	*Strasbourg "	4			
	3 to 8 *Tripoli, large flat "	6		The <i>Wrinkled Marrows**</i> , see	
	*— round "	6		Section III. (including also Cham-	
	very early Nocera "	1 0		pion of England, &c.), form a dis-	
	8 to 9 Welch "	3		tinct class, and can be highly recom-	
	* 6 finest sorts, 2 oz. each	5 0		mended. Carter's Victoria Marrow	
	6 do. do. 1 do. "	2 6		is warranted one of the largest and	
	Orach, French Spinach oz.	4		finest-flavoured of all the White Peas.	
	— yellow "	4		11. 111. and IV. att good for middle	
	— purple garnishing "	3		and late crops. Bedman's Imperial,	
	3 to 8 Parsley, extra curled per oz.	3		Knight's dwarf, Prussian Blue, Royal	
	Myatt's garnishing "	6		Victoria and Carter's Victoria for	
	new matchless "	6		very late crops.	
	large-rooted Hamburg "	3			
	3 to 5 Parsnip, best large "	3		4 to 5 Pompkin, large yellow per pa.	3
	Hollow-crowned "	4		Potato, early per pa. 6d. p. oz.	1 6
	Turnip-rooted "	4		late " 6d. "	1 6
	Peas, and their height in feet:			1 to 9 Radish, long frame per qt.	2 0
	1. <i>Earliest.</i> feet. qt.			Wood's new frame "	2 0
10 to 5	Carter's earliest — 2½ "	1 6		early scarlet "	2 0
	Warner's Emperor — 3 "	9		early short topt "	2 0
	Prince Albert — 2½ "	9		long Salmou "	2 0
				white Naples "	3 0

Month. of Sow.	oz. ounce; lb. pound; qt. quart. 3 & 4, March & April, &c. &c.	Price s. d.	Month of Sow.	pa. packet; bush. bushel. 10 to 6, November till June, &c.	Price s. d.
1 to 9	Radish, red Turnip per qt.	2 0		Buglos Hyssop	
	white Turnip "	2 0		Capsicum, large Lavender	
	mixed Turnip "	2 0		— cherry Marjoram, pot	
	new olive-shaped per oz.	3		— large bell — sweet	
	black Spanish, summer "	3		— — Squash Pimpernel	
	— — winter "	3		— Sweet Pot Marigold	
	new China rose-cold "	6		— — Spanish Purslain, green	
4 to 6	Rampion per pa.	3		Chervil, curled — golden	
	Rhubarb, mixed "	6		Chilis Rosemary	
	Eleonora "	6		Clary Rue	
	Royal Albert "	6		Dill Sage	
	Victoria "	6		Fennel Savory, Summer	
	Salsafy per oz.	6		— Bolognese — Winter	
	Scorzonera "	6		— Florence Scurvy Grass	
3 to 6	Sca Kail "	6		— sweet Tarragon, plants	
	Skirret "	6		— — Dutch Tobacco, fumig.	
	Sorrel "	4		Fennigreek Thyme	
	broad-leaved "	4		Horchound Wormwood	
3 to 9	Spinach, round per qt.	1 0		Chives, Lemon Thyme and	
	priekly "	1 0		Tarragon to be had in Plants	
	new Gaudry per oz.	3		only.	
	new Savoy "	4			
	broad Flanders per qt.	1 0		ROOTS AND PLANTS.	
	New Zealand per oz.	6		Some of the prices variable.	
4 to 6	Squash, fine mixed, 8 var. pa.	6		Artichokes per peck	2 0
3 to 8	Turnip, early Dutch, lb. 3s., oz.	3		— Jerusalem "	2 0
	early Mousetail, „ 3s., „	3		Asparagus, 2 years per 100	2 6
	— Six-week "	3		— 3 years, large "	5 0
	— Snowball "	3		— extra large, for forcing "	7 0
	— Nonsuch "	3		Garlic per lb.	1 0
	— Selected Stone, lb. 3s., „	3		Mushroom Spawn per bush.	4 0
	new American, extra "	4		Potato, early ash-leaved "	
	new black for stewing "	3		— Regents, late "	
	large white "	3		And all other sorts.	
	yellow Maltese "	3		Rhubarb, Linnaeus each	1 0
	— Dutch "	3		Royal Albert "	1 0
	— orange Jelly "	3		Tobolsk "	1 0
	— Stone "	3		Victoria "	1 0
	— Swedish, finest "	2		Sea Kail per 100	6 0
	— Teltan or Märksche "	6		— extra large, for forcing "	12 0
4 to 6	Vegetable Marrow per pa.	3		Shallots per lb.	1 0
	white, egg-shaped "	3			
	cream, new Globe "	6			
HERBS.			And all other Seeds and Plants for the Kitchen Garden. When sown before the usual time in Spring, a hot-bed frame is required for Carrot, Cauliflower, Cucumber, French Beans, Gourds, Lettuce, Pototo, Pompkin, Radish, Vegetable Marrow, and most others except Peas and Beans.		
In 3d. Packets; or per Ounce; to be sown in April or May.					
	Angelica Basil, sweet				
	Anise Benedict				
	Balm Borage				
	Basil, bush Burnet				

Ladies and Gentlemen who prefer leaving the selection of Kitchen Garden Seeds to J. Carter, can be supplied with Collections comprising the most approved and useful sorts, upon the following terms:

Collections at £1, £2, £3, £4, and £5 each.

* * Most other Kitchen Garden Seeds, as Peas, &c., not in this Catalogue, can be supplied at the Current Prices.

AGRICULTURAL SEEDS.

The prices of Clover and other Agricultural Seeds are variable.

	s.	d.		s.	d.
Beet, Sugar	per lb.		Rape, broad-leaved	bush.	
Buck Wheat	per bush.		Rye	"	
Burnet	per lb. or cwt.		Tares, Spring	"	
Broom	"		— Winter	"	
Cabbage, Drumhead	"		Turnip, Dale's hybrid	per lb. or bush.	
— flat Brunswick	"		Aberdeen, yellow	"	
— flat Dutch	"		Globe, green	"	
— large Savoy	"		— red	"	
— Thousand-headed	"		— white	"	
— Kohl-Rabi, purple	"		Gordon yellow	"	
— — green	"		Round, green	"	
— — under-ground	"		— red	"	
Carrot, long red	"		— white	"	
— largest red Altringham	"		Swedish, Ashcroft's	"	
— white Belgian	"		— Emperor	"	
— yellow Belgian	"		— Fettercairn	"	
Caraway	per lb. or cwt.		— green top	"	
Chicory, Brunswick	lb.		— purple top	"	
— large-rooted for Coffee	"		— Laing's	"	
Flax or Linseed	bush.		— Matson's	"	
Furze, Gorse or Whin	lb.		— River's Stubble	"	
— French	"		— Skirving's	"	
Gold of Pleasure	"		Stubble Stone	"	
Kail, curled	"		Tankard, green	"	
Mangel-Wurzel, long red	"		— red	"	
— long yellow	"		— white	"	
— long white	"		— yellow	"	
— red Globe	"		Yellow, Scotch g. top	"	
— white Globe	"		— Scotch purple top	"	
— yellow Globe	"				
Mustard, white	bush.				
— brown	"				
Parsley	"				
Parsnip	lb.				
— large Gnerney	"				

TEXIAN GRAIN, new, resembles
Wheat in shape, but is smaller and
shorter in proportion and without the
furrow.

per pack. 1 0
New Texian Grass, excellent „ 6

GRASS, CLOVER, AND OTHER FORAGE PLANTS.

	s.	d.		s.	d.
Achillea Millefolium, Yarrow	bush. or per lb.		Lolium perenne sempervirens, evergreen		
Agrostis stolonifera, Fiorin or Bent	"		Rye Grass	per bush.	
Aira cæspitosa, tufted Hair Grass	"		— annuum, annual	do.	
Alopecurus pratensis, Meadow Foxtail	"		Lotus corniculatus, Bird's-foot Trefoil	lb.	
Anthoxanthum odoratum, Sweet Vernal	"		Medicago sativa, Lucerne	"	
Arrhenatherum avenaceum, French Rye Grass	"		— lupulina, common Trefoil	cwt.	
Avena elatior, tall Oat Grass	"		Melilotus leucantha major, Bokhara Clover	lb.	
— flavescens, yellow Oat do.	"		Onobrychis sativa, Sainfoin	bush.	
Cynosurus cristatus, crested Dog's-tail	"		Phleum pratense, Timothy or Cat's-tail	lb.	
Dactylis glomerata, Rough Cock's-foot	"		Poa angustifolia, narrow-leaved Meadow	"	
Festuca duriuscula, Hard Fescue	"		— pratensis, smooth-stalked Meadow	"	
— elatior, tall Fescue	"		— nemoralis, wood Meadow	"	
— ovina, Sheep's Fescue	"		— nervosa, strong Meadow	"	
— pratensis, meadow Fescue	"		— trivialis, trivial or rough-stalked Meadow	"	
— rubra, red Fescue	"		Trifolium pratense, red Clover	cwt. or lb.	
— tenuifolia, fine-leaved Fescue	"		— perenne, perennial or Cow Grass	"	
Holcus lanatus, Yorkshire Fog	"		— repens, white or Dutch Clover	"	
Lolium italicum, Italian Rye Grass	per bush.		— hybridum, or Alsike	"	
— perenne, Perennial	do.		— incarnatum, crimson Italian	"	
— Pacey's	do.		— minus, Suckling	"	

MIXED GRASS SEEDS FOR LAWNS, PASTURES, &c.

	lb.	bush.	acre.		lb.	bush.	acre.
Lawn Grass for light soils				Permanent Grass for light soils			
— for heavy	do.			— for heavy	do.		
— „ gravelly dry	do.			— „ gravelly dry	do.		
— „ marshy	do.			— „ marshy	do.		
— „ mossy	do.			— „ mossy	do.		
— „ moory	do.			— „ moory	do.		